

**Six Monthly
Environmental Compliance Report
(Period: October,2023 to March,2024)**

**Refer: Environmental Clearance from MoEF&CC,
File No. J-11011/280/2012-IA II (I) dated 5th February, 2015**

for

**Status of Environmental Clearance Conditions for
Proposed Expansion of Induction Furnace and
Installation of Ferro Alloys Plant, Foundry & Rolling Mill
Project in the existing Plant Area**

at

**Village: Diwandigih, P.O. & Mouza Mirzapur, Palitpur
Road, Dist. Purba Burdwan, West Bengal**

Project Proponent

M/s N N ISPAT PRIVATE LIMITED

25, Ganesh Chandra Avenue, 4th Floor, Kolkata - 700 013, West Bengal

**STATUS OF ENVIRONMENTAL CLEARANCE CONDITIONS FOR THE PERIOD
OCTOBER,2023 TO MARCH,2024 FOR PROPOSED EXPANSION OF INDUCTION
FURNACE AND INSTALLATION OF FERRO ALLOYS PLANT, FOUNDRY & ROLLING
MILL IN THE EXISTING PLANT AREA AT VILL. DIWANDIGIH, P.O. & MOUZA
MIRZAPUR, PALITPUR ROAD, DIST. PURBA BURDWAN, WEST BENGAL
BY M/s N. N. ISPAT PVT. LTD.**

**Refer Environmental Clearance from MoEF&CC File No. J-11011/280/2012-
IA II (I) dated 5th February, 2015**

M/s N. N. Ispat Pvt. Limited obtained Environmental Clearance (EC granted vide File No. J-11011/280/2012-IA-II-(I), dated 05-02-2015) from Ministry of Environment, Forest & Climate Change (MoEF&CC), Govt. of India for expansion of Induction Furnace with matching LRF & CCM and Installation of Ferro Alloys Plant, Foundry & Rolling Mill.

The compliance status of the special conditions and general conditions, as issued by MoEF&CC in the above mentioned Environmental Clearance is discussed below:

A. SPECIFIC CONDITIONS

SL. NO.	SPECIFIC CONDITIONS	REPLY AS ON 30.04.2024
1.	The proponent shall obtain prior Wildlife clearance for expansion of the project. In case the project is located outside the ESA, a Notification of ESZ Ramnabagan Wild life Sanctuary of the State Government and a map with minimum distance of the project site from the boundary of ESZ authenticated by PCCF (WL) shall be furnished.	Wildlife Clearance for this expansion project is received on 30.05.2023. (Refer Annexure-I for the copy of Wildlife Clearance).
2.	Measures shall be taken to reduce PM levels in the ambient air. Stack of adequate height & diameter with continuous stack monitoring facilities for all the stacks shall be provided and sufficient air pollution control	One stack of 30 m height & 2.1 m diameter is installed with 2X8 T & 2x15 T Induction Furnaces. High efficiency bag filter is installed to arrest particulate matters, generating from the induction

	<p>devices viz. Electrostatic precipitator (ESP), bag house, bag filters etc. shall be provided to keep the emission levels below 50 mg/Nm³ and installing energy efficient technologies in the Plant.</p>	<p>furnaces within the prescribed level of 50 mg/Nm³. Besides, Dry fogging system with mobile Water Sprinkling System is implemented to control fugitive emissions inside the plant area.</p>
3.	<p>On-line ambient air quality monitoring and continuous stack monitoring facilities for all the stacks shall be provided and sufficient air pollution control devices. Gaseous emission levels including secondary fugitive emissions from all the sources shall be controlled within the latest permissible limits issued by the Ministry vide G.S.R. 414(E) dated 30th May, 2008 and regularly monitored. Guidelines/ Code of Practice issued by the CPCB shall be followed.</p>	<p>Continuous On-line ambient air quality monitoring facility already installed within the plant premises.</p> <p>Continuous stack monitoring facility already installed with the Induction Furnaces.</p> <p>One stack of 30 m height & 2.1 m diameter is installed with 2X8 T & 2x15 T Induction Furnaces. High efficiency bag filter is installed to arrest particulate matters, generating from the induction furnaces within the prescribed level of 50 mg/Nm³.</p> <p>Dry fogging system with mobile Water Sprinkling System is implemented to control fugitive emissions inside the plant area.</p>
4.	<p>Dust suppression system and bag filters shall be installed to control the fugitive dust emissions at conveyor and transfer points, product handling, loading and unloading points.</p>	<p>Dry fogging system with mobile Water Sprinkling System is implemented to control fugitive emissions inside the plant area.</p>
5.	<p>Water consumption shall not exceed as per the CREP standard prescribed for the steel plants. Additional water, if any, required for the plant project operations shall be met from rainwater stored in rainwater harvesting structures.</p>	<p>Daily fresh water requirement for Induction furnaces, LRF, CCM & Rolling Mill, including domestic demand is being sourced from Bore wells. Permission has been obtained from State Water Investigation Department (SWID).</p> <p>Collected rain water is being used for different purposes within the plant area.</p>

6.	Rainwater harvesting scheme shall be prepared so that the rainwater can be collected, re-used and may be used for ground water recharge. The concrete drains shall be desilted and regular supervision of the areas shall be carried out so that blocking of drains may be avoided for quick discharge of rainwater. Efforts shall further be made to use maximum water from the rain water harvesting sources. If needed, capacity of the reservoir shall be enhanced to meet the maximum water requirement.	A Rainwater Harvesting Pond has been implemented in the project site. Roof top rain water as well as surface run-off is being collected in the pond. To avoid blocking of the concrete drains regular supervision is being carried out for quick discharge of rainwater. The collected rain water is being used for different purposes within the plant premises.
7.	Greenbelt of approximately 15-20 meter width consisting of a 3-tier of trees consisting of species with thick canopy shall be developed all along the periphery of the plant, roads, vacant spaces, transfer points, etc. as part of 33% of total plant area.	A local horticulturist has been appointed to develop an appropriate green belt following the CPCB guidelines. N.N. Ispat Pvt Ltd. has developed 3.33 acres (1.34 hectare) (which is 33% of total land 10.05 Acres) of land for Green Belt development with 3580 plants of various species.
8.	All the effluents shall be treated and reused for dust suppression/green belt development. No effluent shall be discharged and 'zero' discharge shall be adopted.	The plant is designed based on zero discharge concept. The waste water from cooling tower will be recirculated through cooling and treatment. The treated wastewater will be used in dust suppression & Greenery purpose within the plant premises.
9.	Proper utilization of fly ash shall be ensured as per Fly Ash Notification, 1999 and subsequent amendment in 2003 and 2010. All the fly ash shall be provided to cement and brick manufacturers for further utilization and Memorandum of Understanding shall be submitted to the Ministry's Regional Office at Bhubaneswar.	No fly ash is being/will be generated from the process. Only Induction furnace slag is being generated from the process which is being used in land filling and road construction purposes.
10.	Hazardous materials required during construction phase and in plant operations shall be stored properly	No hazardous waste is being generated in the operational phase.

	as per the regulations and reused/recycled as per the E(P)A Rules.	
11.	Vehicles and construction machinery are properly maintained to minimize the exhaust emission as well as noise generation to meet prescribed standards.	Vehicles plying within the plant do not exceed the speed limit of 25 km/hr. Mobile water sprinkler is being used to minimize dust flow.
12.	Risk and Disaster Management Plan along with the mitigation measures shall be prepared and implemented.	The mitigation measures against "Risk and Disaster Management Plan" as mentioned in the EIA Report is being maintained in the plant area.
13.	All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the Steel Plants shall be implemented.	Relevant norms and measures w.r.t. CREP guidelines for the existing plant is being complied with.
14.	All the commitments made to the public during public hearing/public consultation shall be satisfactorily implemented and adequate budget provision shall be made accordingly.	Commitments made to the public during the Public Hearing / Public Consultation meeting held on 10 th March, 2014 like job opportunity, Air Pollution Control measures, green belt development, CER activities etc. are being complied by the Company. The Management is specifically concentrating the need based requirement of the local people, to fulfil the actual needy people of the locality under the CER programmes with Free ration, Drinking Water, School donations, Renovation of local Mandir, Donations for Marriage of girls etc.
15.	All the permanent workers shall be covered under ESI Scheme. The company shall have the provision for treatment of its workers at the local Nursing Homes & Hospitals in case	<ul style="list-style-type: none"> ➤ All the permanent workers is covered under ESI Scheme. ➤ The company have the provision for treatment of its workers at the local

	<p>of emergency. Annual Medical Check-up on some medical parameters like Blood test, Chest X-Ray, Eye test, Audiometry, Spirometry etc. shall be conducted amongst the employees of the Company and records thereof maintained.</p>	<p>Nursing Home (Woodland Nursing Home) and Hospital (Burdwan Medical College & Gauridevi Hospital) in case of emergency.</p> <p>Periodical Medical Check-up on some medical parameters like Blood test, Eye test etc. amongst the present employees is being done as suggested by the Doctor.</p>
<p>16.</p>	<p>At least 5% of the total cost of the project shall be earmarked towards the Enterprise Social Commitment (ESC) based on local needs. The proponent shall prepare a detailed CSR Plan for every next 5 years for the existing-cum-expansion project, which includes village-wise, sector-wise (Health, Education, Sanitation, Health, Skill Development and infrastructure requirements such as strengthening of village roads, avenue plantation, etc.) activities in consultation with the local communities and administration. The CSR Plan will include the amount of 2% retain annual profits as provided for in Clause 135 of the Companies Act, 2013 which provides for 2% of the average net profits of previous 3 years towards CSR activities for life of the project. A separate budget head shall be created and the annual capital and revenue expenditure on various activities of the Plan shall be submitted as part of the Compliance Report to RO, at Bhubaneswar. The details of the CSR Plan shall also be</p>	<p>Commitments made to the public during the Public Hearing / Public Consultation meeting held on 10th March, 2014 like job opportunity, Air Pollution Control measures, green belt development, CER activities etc. are being complied by the Company.</p> <p>The Management is specifically concentrating the need based requirement of the local people, to fulfil the actual needy people of the locality under the CER programmes with Free ration, Drinking Water, School donations, Renovation of local Mandir, Donations for Marriage of girls etc.</p>

	<p>uploaded on the company website and shall also be provided in the Annual Report of the company.</p>	
--	--	--

B. GENERAL CONDITIONS

SL. NO.	GENERAL CONDITIONS	REPLY AS ON 30.04.2024
1.	<p>The project authorities must strictly adhere to the stipulations made by the West Bengal Pollution Control Board and the State Government.</p>	<p>Stipulations laid down by the West Bengal Pollution Control Board & the state Government is being followed.</p>
2.	<p>No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change (MoEF&CC).</p>	<p>There will be no expansion or modification of the units shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change (MoEF&CC).</p>
3.	<p>At least four ambient air quality monitoring stations should be established in the downward direction as well as where maximum ground level concentration of PM₁₀, PM_{2.5}, SO₂ and NO_x are anticipated in consultation with the SPCB. Data on ambient air quality and stack emission shall be regularly submitted to this Ministry including its Regional Office at Bhubaneswar and the SPCB/CPCB once in six months.</p>	<p>Ambient Air Quality data for four ambient air quality monitoring stations is monitored for the period of October, 2023 to March, 2024 in & around the project site. Air quality data is enclosed as Annexure-II.</p> <p>Emission test report for existing stacks is monitored and is enclosed as Annexure-II.</p>
4.	<p>Industrial waste water shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended form time to time. The treated waste water shall be utilized for plantation purpose.</p>	<p>The plant is designed as a zero discharge plant as far as the process effluent are concerned. The waste water from cooling tower is being recirculated through cooling and treatment. The treated wastewater is being used for plantation & other purposes inside the plant area.</p>

5.	The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (day time and 70 dBA (night time).	Appropriate noise control measures in the form of silencers, sound proof enclosures etc. is installed with the noise generating equipment to control noise pollution. Noise level at different locations are being monitored on regular basis. Monitored results for the period October, 2023 to March, 2024 is attached as Annexure-II .
6.	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Already discussed above.
7.	The company shall develop rain water harvesting structures to harvest the rain water for utilization in the lean season besides recharging the ground water table.	A Rainwater Harvesting Pond has been implemented in the unit. To avoid blocking of the concrete drains regular supervision is being carried out for quick discharge of rainwater. The collected rain water is being used for different purposes within the plant area. Provision for ground water recharging is not made as ground water recharging is not allowed by WBPCB.
8.	The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/EMP report. Further, the company must undertake socio-economic development activities in the surrounding villages like community development programmes, educational programmes, drinking water supply and health care etc.	The company has complied all the environmental protection measures and safeguards as recommended in the EIA/EMP report. The Management is in regular interaction with the local community to understand the exact need of the local population and Based on such efforts, appropriate and need based CER programmes likewise Free ration, Drinking Water, School donations, Renovation of local Mandir,

		Donations for Marriage of girls, Health facilities , Free vaccination drive etc. are being considered.
9.	Requisite funds shall be earmarked towards capital cost and recurring cost/annum for environment pollution control measures to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change (MoEF&CC) as well as the State Government. An implementation schedule for implementing all the conditions stipulated herein shall be submitted to the Regional Office of the Ministry at Bhubaneswar. The funds so provided shall not be diverted for any other purpose.	<p>Rs. 4.5 Crores are being considered for investment by the company towards capital cost for environment pollution control measures for the entire project.</p> <p>There is a recurring cost of around Rs. 0.6 crores for environmental management & pollution control equipment.</p> <p>The earmarked funds will not be used for any other purposes other than pollution control efforts as stated above.</p>
10.	A copy of clearance letter shall be sent by the proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban Local Body and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the web site of the company by the proponent.	<p>The copy of the environmental clearance is already submitted to the local Panchayat.</p> <p>Receipt copy after submission of accorded Environmental Clearance (EC) to local Panchayat is enclosed as Annexure-III.</p>
11.	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the MoEF&CC at Bhubaneswar. The respective Zonal Office of CPCB and the SPCB. The criteria	<p>Copy is being uploaded in the Company website.</p> <p>This six monthly Compliance report is being submitted to IRO, MoEF&CC, Kolkata Office.</p>

	pollutant levels namely; PM ₁₀ , SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	
12.	The project proponent shall also submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both in hard copies as well as by e-mail) to the Regional Office of MoEF&CC, the respective Zonal Office of CPCB and the SPCB. The regional Office of this Ministry at Bhubaneswar/ CPCB/ SPCB shall monitor the stipulated conditions.	This six monthly Compliance report is being submitted to IRO, MoEF&CC, Kolkata Office.
13.	The environmental statement for each financial year ending 31 st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental conditions and shall also be sent to the respective Regional Office of the MoEF&CC at Bhubaneswar by e-mail.	Environmental Statement (Form-V) is being submitted (refer Annexure-IV).
14.	The Project Proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB and may	Advertisement w.r.t. Environmental Clearance had been done in English & Bengali newspapers (refer Annexure-V).

	also be seen at Website of the Ministry of Environment, Forest and Climate Change (MoEFCC) at http://envfor.nic.in . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same should be forwarded to the Regional office at Bhubaneswar.	
15.	Project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.	<p>Date of financial closure: April 2015</p> <p>Date of final approval of the project by the concerned authorities: March 2018</p> <p>Date of commencing the land development work: March 2015</p>

List of Enclosed Annexures:

Annexure-I: Copy of Wildlife Clearance

Annexure-II: Ambient Air Quality Monitoring Report, Stack Emission Test Report & Ambient Noise Monitoring Report

Annexure-III: Receipt copy after submission of accorded Environmental Clearance (EC) to Local Panchayat

Annexure-IV: Filled up Environmental Statement (Form-V)

Annexure-V: Copy of Advertisement in News Paper after EC obtained



**GOVERNMENT OF WEST BENGAL
DIRECTORATE OF FORESTS**



Office of the Principal Chief Conservator of Forests (Wildlife)
& Chief Wildlife Warden, West Bengal
Bikash Bhawan, North Block, Third Floor, Saltlake City, Kolkata - 700 091.
Tel No. 2334-6900/2358-3208, Fax. 91-033-2334-5946

E-mail.: pccfwl-wb@nic.in/pccfwloffice.fd-wb@bangla.gov.in, Visit us at www.wildbengal.com

Memo No.: 1624 / WL/2W-682 (Part-IV)

Date: 16 / 06 / 2023

To: The Secretary,
State Level Expert Appraisal Committee, West Bengal.

Sub: Request for the grant of prior Wildlife Clearance for proposed expansion of Induction Furnace and Installation of Ferro Alloys Plant, Foundary & Rolling Mill in the existing Plant area at village: Diwandigh, P.O. & Mouza: Mirzapur, Palitpur Road, P.S. & District: Purba Burdwan, West Bengal by M/s N.N. Ispat Pvt. Ltd. - regarding

Ref.: N.N. Ispat Pvt. Ltd.'s application dated 31/10/2022.

Sir,

With reference to the subject and application cited above, the proposed expansion of Induction Furnace and installation of Ferro Alloys Plant, Foundary & Rolling Mill in the existing Plant at Purba Badhaman is situated at an aerial distance of 4.33 km from Ramnabagan Wildlife Sanctuary.

Hence, the proposed expansion site does not fall within the Eco-sensitive Zone of Ramnabagan Wildlife Sanctuary (100 mts).

This is for your information.

Yours faithfully,

(Debal Ray)

Principal Chief Conservator of Forests, Wildlife
& Chief Wildlife Warden, West Bengal

Date: 16 / 06 / 2023

Memo No.: 1624(2) / WL/2W-682 (Part-IV)
Copy forwarded for information to:-

1. The Chief Conservator of Forests, South-East Circle, West Bengal. In reference to his memo no. 1226/SEC/2M-10 dated 05.06.2023.
2. The Divisional Forest Officer, Burdwan Division, West Bengal. In reference to her memo no. 1877/8 dated 30.05.2023.
3. The Director, N.N. Ispat Pvt. Ltd.
E-mail: nnispatinfo@aiccasting.com / info@ultramaxtmt.com

(Debal Ray)

Principal Chief Conservator of Forests, Wildlife
& Chief Wildlife Warden, West Bengal



Government of West Bengal
Directorate of Forests
Office of the Divisional Forest Officer
Burdwan Division

Golapbug, PO – Rajbati, Dist – Purba Burdwan, Pin - 713104
Phone & Fax No. 0342-2950507
e-mail: dfobdn@yahoo.co.in, dfobur-wb@nic.in



No. 1877 /8

dated, Burdwan the 30 /05/2023

To
The Conservator of Forests,
Wildlife (Headquarter), West Bengal

Through The Chief Conservator of Forests, South – East Circle, West Bengal.

Sub- Issuance of Wildlife Clearance for proposed expansion of Induction Furnace and installation of Ferro Alloys Plant, Foundary & Rolling Mill at Purba Bardhaman, West Bengal-reg.

Ref- Your memo No. 3408/WL/2W-682(Part-IV), dated 28.11.2022 and The APCCF & CCF, South-East Circle, WB's memo no. 3373/SEC/2M-05, dated 08.12.2022.


Sir,

With reference to the above this is for your kind information that after perusal of proposal and on field verification, the following points are observed:

1. The project site of M/s N.N. Ispat Pvt. Ltd. is located at Village- Diwandhighi, PO & Mouza – Mirzapur, Palitpur Road, Purba Bardhaman and situated at an aerial distance of 4.33 K.M. from Ramnabagan Wildlife Sanctuary.
2. The proposed expansion site of M/s N.N. Ispat Pvt. Ltd. does not fall within Eco-Sensitive Zone of Ramnabagan Wildlife Sanctuary(100 mts.)
3. The clearance may be issued as there is no National Park, Sanctuary, Biosphere Reserve and Migratory Corridors of wild animals close to the area proposed for expansion.

This is for favour of your kind information and necessary action please.

Enclo. As stated above.


Divisional Forest Officer
Burdwan Division

No. 1877(1) /8


dated, Burdwan the 30 /05/2023

Copy forwarded for kind information to:

1. Director, M/s N.N. Ispat Pvt. Ltd. 25 Ganesh Chandra Avenue, 4th Floor, Kolkata, West Bengal-700013

Sd/- N. Goswami, I.F.S.
Divisional Forest Officer
Burdwan Division

Map Showing Aerial Distance between Ramnabagan Wildlife Sanctuary & M/s N. N. Ispat Pvt.Ltd.



Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accredited by NABL, as per ISO/IEC 17025:2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

ANNEXURE-II

AMBIENT AIR QUALITY MONITORING RESULTS

Name of Industry	M/s. N. N. ISPAT PVT. LTD.
Address	Village Diwandighi, P.O. & Mouza - Mirzapur, Palitpur Road, District - Purba Burdwan, West Bengal

TABLE: - 1				
Onsite Ambient Air Quality Monitoring Results				
Location		Near Main Gate		
(Period: November, 2023)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)
06.11.2023	72	32	10	25
09.11.2023	78	36	8	21
13.11.2023	68	31	7	32
16.11.2023	65	26	10	24
20.11.2023	81	35	9	27
23.11.2023	70	33	11	18
27.11.2023	83	39	7	23
30.11.2023	73	28	8	26

TABLE: - 2				
Onsite Ambient Air Quality Monitoring Results				
Location		Malkita Village		
(Period: November, 2023)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)
06.11.2023	67	30	7	13
09.11.2023	71	34	4	22
13.11.2023	59	25	6	17
16.11.2023	66	29	8	20
20.11.2023	70	31	4	15
23.11.2023	65	29	7	27
27.11.2023	56	24	9	11
30.11.2023	72	33	6	16

For ENVIROTECH EAST (P) LTD.




(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accredited by NABL, as per ISO/IEC 17025:2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

AMBIENT AIR QUALITY MONITORING RESULTS

Name of Industry	M/s. N. N. ISPAT PVT. LTD.
Address	Village Diwandighi, P.O. & Mouza - Mirzapur, Palitpur Road, District - Purba Burdwan, West Bengal

TABLE: - 3				
Onsite Ambient Air Quality Monitoring Results				
Location		Mirzapur Village		
(Period: November, 2023)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)
07.11.2023	58	25	7	17
10.11.2023	55	23	8	23
12.11.2023	66	29	6	14
17.11.2023	61	27	9	20
21.11.2023	67	30	7	16
24.11.2023	53	22	9	22
28.11.2023	62	29	12	18
01.12.2023	56	22	7	15

TABLE: - 4				
Onsite Ambient Air Quality Monitoring Results				
Location		Palitpur Village		
(Period: November, 2023)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)
07.11.2023	69	32	12	24
10.11.2023	61	26	8	20
12.11.2023	72	32	10	25
17.11.2023	67	29	14	23
21.11.2023	78	37	9	18
24.11.2023	72	32	13	24
28.11.2023	60	25	10	21
01.12.2023	68	31	8	29

For ENVIROTECH EAST (P) LTD.




(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accredited by NABL, as per ISO/IEC 17025:2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

AMBIENT AIR QUALITY MONITORING RESULTS

Name of Industry	M/s. N. N. ISPAT PVT. LTD.
Address	Village Diwandighi, P.O. & Mouza - Mirzapur, Palitpur Road, District - Purba Burdwan, West Bengal

TABLE - 5		Statistical Analysis of Pollutants (Period: November, 2023)				
Pollutants	Locations	MES	Min	Max	A.M.	P - 98
PM ₁₀ (µg/m ³)	Near Main Gate	8	65	83	73.8	82.7
	Malkita Village	8	56	72	65.8	71.9
	Mirzapur Village	8	53	67	59.8	66.9
	Palitpur Village	8	60	78	68.4	77.2
	Overall	32	53	83	66.9	-
PM _{2.5} (µg/m ³)	Near Main Gate	8	26	39	32.4	38.6
	Malkita Village	8	24	34	29.4	33.9
	Mirzapur Village	8	22	30	25.9	30.0
	Palitpur Village	8	25	37	30.6	36.1
	Overall	32	22	39	29.6	-
SO ₂ (µg/m ³)	Near Main Gate	8	7	11	8.8	10.9
	Malkita Village	8	4	9	6.4	8.9
	Mirzapur Village	8	6	12	8.1	11.6
	Palitpur Village	8	8	14	10.5	13.9
	Overall	32	4	14	8.4	-
NO ₂ (µg/m ³)	Near Main Gate	8	18	32	24.5	31.3
	Malkita Village	8	11	27	17.6	26.3
	Mirzapur Village	8	14	23	18.1	22.9
	Palitpur Village	8	18	29	23.0	28.4
	Overall	32	11	32	20.8	-

For ENVIROTECH EAST (P) LTD.




(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accredited by NABL, as per ISO/IEC 17025:2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

AMBIENT AIR QUALITY MONITORING RESULTS

Name of Industry	M/s. N. N. ISPAT PVT. LTD.
Address	Village Diwandighi, P.O. & Mouza - Mirzapur, Palitpur Road, District - Purba Burdwan, West Bengal

TABLE: - 6				
Onsite Ambient Air Quality Monitoring Results				
Location		Near Main Gate		
(Period: February, 2024)				
DATE	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)
01.02.2024	80	37	11	26
05.02.2024	71	32	8	31
08.02.2024	83	37	16	23
12.02.2024	90	43	12	26
15.02.2024	76	35	10	37
19.02.2024	85	39	9	27
22.02.2024	70	32	13	35
26.02.2024	82	39	10	29

TABLE: - 7				
Onsite Ambient Air Quality Monitoring Results				
Location		Malkita Village		
(Period: February, 2024)				
DATE	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)
01.02.2024	82	38	11	20
05.02.2024	77	35	8	32
08.02.2024	65	29	10	26
12.02.2024	74	33	9	21
15.02.2024	80	37	7	27
19.02.2024	70	32	11	17
22.02.2024	84	39	7	24
26.02.2024	73	34	10	20

For ENVIROTECH EAST (P) LTD.




(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accredited by NABL, as per ISO/IEC 17025:2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

AMBIENT AIR QUALITY MONITORING RESULTS

Name of Industry	M/s. N. N. ISPAT PVT. LTD.
Address	Village Diwandighi, P.O. & Mouza - Mirzapur, Palitpur Road, District - Purba Burdwan, West Bengal

TABLE: - 8				
Onsite Ambient Air Quality Monitoring Results				
Location Mirzapur Village				
(Period: February, 2024)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)
02.02.2024	80	37	12	20
06.02.2024	71	33	7	28
09.02.2024	66	29	9	21
13.02.2024	79	36	13	28
16.02.2024	67	33	8	19
20.02.2024	59	26	10	24
23.02.2024	72	34	5	21
27.02.2024	62	29	8	25

TABLE: - 9				
Onsite Ambient Air Quality Monitoring Results				
Location Palitpur Village				
(Period: February, 2024)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)
02.02.2024	81	33	11	24
06.02.2024	67	26	15	27
09.02.2024	75	33	9	31
13.02.2024	69	25	14	22
16.02.2024	78	35	10	34
20.02.2024	86	38	13	25
23.02.2024	81	35	9	22
27.02.2024	75	32	12	32

For ENVIROTECH EAST (P) LTD.




(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accredited by NABL, as per ISO/IEC 17025:2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

AMBIENT AIR QUALITY MONITORING RESULTS

Name of Industry	M/s. N. N. ISPAT PVT. LTD.
Address	Village Diwandighi, P.O. & Mouza - Mirzapur, Palitpur Road, District - Purba Burdwan, West Bengal

Table - 10		Statistical Analysis of Pollutants				
		(Period: February, 2024)				
Pollutants	Locations	MES	Min	Max	A.M.	P - 98
PM ₁₀ (µg/m ³)	Near Main Gate	8	70	90	79.6	89.3
	Malkita Village	8	65	84	75.6	83.7
	Mirzapur Village	8	59	80	69.5	79.9
	Palitpur Village	8	67	86	76.5	85.3
	Overall	32	59	90	75.3	-
PM _{2.5} (µg/m ³)	Near Main Gate	8	32	43	36.7	42.6
	Malkita Village	8	29	39	34.7	39.2
	Mirzapur Village	8	26	37	32.1	36.7
	Palitpur Village	8	25	38	32.1	37.5
	Overall	32	25	43	33.9	-
SO ₂ (µg/m ³)	Near Main Gate	8	8	16	11.1	15.6
	Malkita Village	8	7	11	9.1	11.0
	Mirzapur Village	8	5	13	9.0	12.9
	Palitpur Village	8	9	15	11.6	14.9
	Overall	32	5	16	10.2	-
NO ₂ (µg/m ³)	Near Main Gate	8	23	37	29.3	36.7
	Malkita Village	8	17	32	23.4	31.3
	Mirzapur Village	8	19	28	23.3	28.0
	Palitpur Village	8	22	34	27.1	33.7
	Overall	32	17	37	25.8	-

For ENVIROTECH EAST (P) LTD.




(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accredited by NABL, as per ISO/IEC 17025:2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

ALYSIS REPORT OF FLUE GAS

Name of Industry	M/s. N. N. ISPAT PVT. LTD.
Address	Village Diwandighi, P.O. & Mouza - Mirzapur, Palitpur Road, District - Purba Burdwan, West Bengal
Date of Sampling	17.10.2023
Time of Sampling	11:30 hrs;

A. General Information about stack			
1	Stack connected to	2X8 T & 2x15 T Induction Furnaces	
2	Emission due to	Process emission	
3	Material of Construction of Stack	M.S	
4	Shape of Stack	Circular	
5	Whether Stack is provided with Permanent Platform & Ladders	Permanent	
6	Capacity	2X8 T & 2x15 T Induction Furnaces	
B. Physical Characteristics of Stack			
1	Height of the stack		
	(a) from Ground Level (m)	30	
	(b) from Roof Level (m)	-	
2	Diameter of the stack		
	(a) at bottom (m)	-	
	(b) at top (m)	2.1	
3	Diameter of the stack at sampling point (m)	2.1	
4	Height of the sampling point from GL (m)	10.5	
C. Analysis/Characteristics of Stack			
1	Fuel used	Electricity	
2	Fuel consumption	-	
D Field Study of Stack(s)		Reference Method	Concentration
1	Temperature of emission (°C)	IS 11255 (Part 1)	103
2	Barometric Pressure (mmHg)	-	752
3	Velocity of gas in duct (M/sec)	IS 11255 (Part 3)	8.55
4	Quantity of gas flow (Nm ³ /hr)	IS 11255 (Part 3)	82462
5	Concentration of CO (% V/V)	IS 13270	-
6	Concentration of CO ₂ (% V/V)	IS 13270	4.8
E Laboratory Test Result(s)			
7	Concentration of SO ₂ (mg/Nm ³)	IS 11255 (Part 2)	-
8	Concentration of NO _x (mg/Nm ³)	US EPA, Method 7	-
9	Concentration of PM (mg/Nm ³)	IS 11255 (Part 1)	39
10	Concentration of PM (mg/Nm ³) at 12% CO ₂		-
E Pollution Control Device			
Details of pollution control device attached with the stack		Bag Filter	

Note : - Contents of this report are meant for your guidance and should not be used for Advertisement, Evidence or Litigation
 - The Physical information about stack details (viz. height, diameter etc.) were provided by respective Industry/Party

For ENVIROTECH EAST (P) LTD.




(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accredited by NABL, as per ISO/IEC 17025:2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

ANALYSIS REPORT OF FLUE GAS

Name of Industry	M/s. N. N. ISPAT PVT. LTD.
Address	Village Diwandighi, P.O. & Mouza - Mirzapur, Palitpur Road, District - Purba Burdwan, West Bengal
Date of Sampling	09.01.2024
Time of Sampling	11:25 hrs;

A. General Information about stack			
1	Stack connected to	2X8 T & 2x15 T Induction Furnaces	
2	Emission due to	Process emission	
3	Material of Construction of Stack	M.S	
4	Shape of Stack	Circular	
5	Whether Stack is provided with Permanent Platform & Ladders	Permanent	
6	Capacity	2X8 T & 2x15 T Induction Furnaces	
B. Physical Characteristics of Stack			
1	Height of the stack		
	(a) from Ground Level (m)	30	
	(b) from Roof Level (m)	-	
2	Diameter of the stack		
	(a) at bottom (m)	-	
	(b) at top (m)	2.1	
3	Diameter of the stack at sampling point (m)	2.1	
4	Height of the sampling point from GL (m)	10.5	
C. Analysis/Characteristics of Stack			
1	Fuel used	Electricity	
2	Fuel consumption	-	
D Field Study of Stack(s)		Reference Method	Concentration
1	Temperature of emission (°C)	IS 11255 (Part 1)	116
2	Barometric Pressure (mmHg)	-	757
3	Velocity of gas in duct (M/sec)	IS 11255 (Part 3)	9.3
4	Quantity of gas flow (Nm ³ /hr)	IS 11255 (Part 3)	87567
5	Concentration of CO (% V/V)	IS 13270	-
6	Concentration of CO ₂ (% V/V)	IS 13270	5.1
E Laboratory Test Result(s)			
7	Concentration of SO ₂ (mg/Nm ³)	IS 11255 (Part 2)	-
8	Concentration of NO _x (mg/Nm ³)	US EPA, Method 7	-
9	Concentration of PM (mg/Nm ³)	IS 11255 (Part 1)	44
10	Concentration of PM (mg/Nm ³) at 12% CO ₂		-
E Pollution Control Device			
Details of pollution control device attached with the stack		Bag Filter	

Note : - Contents of this report are meant for your guidance and should not be used for Advertisement, Evidence or Litigation
 - The Physical information about stack details (viz. height, diameter etc.) were provided by respective Industry/Party

For ENVIROTECH EAST (P) LTD.




(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accredited by NABL, as per ISO/IEC 17025:2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

Name of Industry	M/s. N. N. ISPAT PVT. LTD.
Address	Village Diwandighi, P.O. & Mouza - Mirzapur, Palitpur Road, District - Purba Burdwan, West Bengal

Equivalent Noise Level in the Study Area, in dB(A) Month: October, 2023

SL.NO.	Location	DAY TIME	NIGHT TIME
		Leq- dB (A)	Leq- dB (A)
1	Near Main Gate	68.2	55.7
2	Near Raw Materials Yard	70.4	58.5
3	Kamnara Village	54.3	42.1
4	Malkita Village	53.2	44.4

Equivalent Noise Level in the Study Area, in dB(A) Month: January, 2024

SL.NO.	Location	DAY TIME	NIGHT TIME
		Leq- dB (A)	Leq- dB (A)
1	Near Main Gate	66.9	53.5
2	Near Raw Materials Yard	74.5	61.1
3	Kamnara Village	53.4	41.7
4	Malkita Village	52.9	43.5

For ENVIROTECH EAST (P) LTD.




(Authorized Signatory)

N. N. Ispat Pvt. Ltd.

25, GANESH CHANDRA AVENUE, 4TH FLOOR, KOLKATA - 700 013
Tel - 22217636 / 7636, Fax - 22114667, e-mail : nnispatinfo@alccasting.com
CIN NO. U27109WB2004PTC099963



ANNEXURE-III

Date : 07.04.2015

To
The Pradhan
Saraitikir Gram Panchayat
Burdwan I Panchayat samity
Burdwan
West Bengal

Sub: Information of EC obtained.

Dear Sir,

This is to inform you that we have obtained Environmental Clearance vide No J-11011/280/2012-IA-II-(I) dated 05.02.2015, for expansion of our existing project with Induction Furnaces, Rolling Mill and other units.

We are enclosing herewith a copy of the same.

Thanking You

Yours Truly

For N.N.Ispat Pvt. Ltd

Authorised Signatory



O/C



N.N. Ispat Pvt. Ltd.

Regd office : 25, Ganesh Chandra Avenue, 4th Floor, Kolkata - 700 013
Tel : +91 33 2221 7535 / 7536, Fax : +91 33 2211 4567
E-mail : nnispatinfo@aiccasting.com , info@ultramaxtmt.com
Web : www.ultramaxtmt.com
Factory : Diwandighi, Palitpur Road, Purba Bardhaman - 713102, West Bengal
CIN No.: U27109WB2004PTC099963

Date: 13.07.2023

To
Kamnara Block Office
Burdwan
West Bengal

Sub: Information of EC obtained.

Dear Sir,

This is to inform you that we have obtained Environmental Clearance vide No J-11011/280/2012-IA-II-(I) dated 05.05.2015, for expansion of our existing project with Induction Furnaces, Rolling Mill and other units.

We are enclosing herewith a copy of the same.

Thanking You

Yours Truly

For N.N.Ispat Pvt. Ltd

Burdwan
713102

Authorized Signatory



N.N. Ispat Pvt. Ltd.

Regd office : 25, Ganesh Chandra Avenue, 4th Floor, Kolkata - 700 013
Tel : +91 33 2221 7535 / 7536, **Fax** : +91 33 2211 4567
E-mail : nnispatinfo@aiccasting.com , info@ultramaxtmt.com
Web : www.ultramaxtmt.com
Factory : Diwandighi, Palitpur Road, Purba Bardhaman - 713102, West Bengal
CIN No.: U27109WB2004PTC099963



Date : 30.08.2023

To
The Sr. Environmental Engineer
West Bengal Pollution Control Board
Durgapur Regional Office
Durgapur, West Bengal



Sub : Submission of Form V for the FY 2022-23.

Dear Sir,

With reference to above we are enclosing herewith the Form V for the FY 2022-23.

Kindly acknowledge the same.

Thanking You

Yours Truly
For N.N.Ispat Pvt. Ltd.

For N. N. Ispat Pvt. Ltd.

Director

FORM – V
(See rule 14)
Environmental Audit Report for the Financial year ending the 31st March 2023


PART – A

1.	Name & address of the owner/occupier of the industry, operation or process.	M/s N N Ispat Pvt. Ltd. Shri Dinesh Adukia (Director) Address: 25, Ganesh Chandra Avenue, 4 th Floor, Kolkata-700 013, West Bengal
2.	Industry category Primary (STC Code), Secondary (STC Code)	Proposed expansion of Induction Furnace and Installation of Ferro Alloys Plant, Foundry & Rolling Mill in the existing Plant Area (Refer EC from MoEF&CC File No. J-11011/280/2012-IA II (I) dated 5 th February, 2015).
3.	Production Capacity – Units	The unit Configuration & current Production capacity (as per valid CTO) is presented below, 1. Induction Furnaces (2x8 T + 2x15 T) : 1,38,000 TPA Billets 2. Rolling Mill : 1,20,000 TPA Structural Steels (Angels, Channels, TMT etc.)
4.	Year of establishment	28 th February, 2003
5.	Date of last environmental statement	-

PART - B

1	Water Consumption m ³ /day process		
		Financial Year (2021-2022) (in m ³ /day)	Financial Year (2022-23) (in m ³ /day)
	Cooling	25 m ³ /day	28 m ³ /day
	Domestic	10 m ³ /day	11 m ³ /day

For N. N. Ispat Pvt. Ltd.


Director

Name of Products		Water consumption per unit of products	
		During the previous financial year (2021-2022)	During the current financial year (2022-23)
2.	Structural Steels (Angels, Channels, TMT etc.)	0.096 m ³ /T	0.107 m ³ /T
3. Raw Material Consumption		Consumption of Raw material per unit of out put	
Name of Raw Materials	Name of Products	During the previous financial year (2021-2022)	During the current financial year (2022-23)
1) Sponge Iron	Billets	1.150 T/T	1.180 T/T
2) Pig Iron /Scrap		0.468 T/T	0.477 T/T
3) Ferro Alloys		0.015 T/T	0.015 T/T
1) Billets	Structural Steel, TMT Bars, Angles, Channels, Wire Rod	1.20 T/T	1.18 T/T

For N. N. Ispat Pvt. Ltd.

Director

PART – C Pollution Generated (Parameters as specified in the consent issued)			
	Pollutants	Quantity of pollution generated	Percentage of variation from prescribed standards with reason
a	Water (Domestic Effluent)	11 KLD through Septic Tank - Soak Pit system	No variation
b	Air	PM <50 mg/Nm ³ for Induction Furnaces	No variation

PART – D Hazardous waste [as specified under Hazardous Wastes (Management & Handling) Rules 1989]			
	Hazardous Wastes	Total Quantity (in Kg)	
		During the previous Financial year	During the current Financial year
a.	From Process	No Hazardous waste produced.	No Hazardous waste produced.
b.	From Pollution Control Facilities	Nil	Nil

PART – E Solid Wastes			
		Total Quantity	
		During the previous Financial year (April, 2021 to March, 2022)	During the current Financial year (April, 2022 to March, 2023)
a.	From process	➤ Slag from Induction Furnaces - 4320 TPA	➤ Slag from Induction Furnaces - 4400 TPA
b.	From pollution control facility	NA	NA
c.	Quantity recycled or re-utilized.	➤ Slag from Induction Furnaces is being used in Land filling / Road making purposes.	➤ Slag from Induction Furnaces is being used in Land filling / Road making purposes.

PART – F

Please specify the characteristics (in terms of concentration and quantum) of Hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

The solid waste which are generated from various sources mainly slag from Induction 4 Furnaces slags, belongs in the group of non hazardous category.

PART – G

Impact of pollution control measures on conservation of natural resources and consequently on the cost of production

For N. N. Ispat Pvt. Ltd.

3

Director

1. There are 4 nos. hood & common stacks attached with Induction Furnaces for continuous emission of PM only.
2. To reduce dust emissions, Bag Filters has been used with the stacks.
3. Diesel Generator sets (1x600 KVA + 1x125 KVA) is being used during the power failure.
- 4 Under "Zero discharge" concept no industrial effluent discharge outside the plant premises. Treated industrial waste water is being used in the plant premises. Domestic waste water is being treated through Septic Tank - Soak Pit system.
5. To reduce the use of conventional source of energy for conservation of natural resources, the Company has taken several measures.

PART – H

Additional investment proposal for environmental protection including abatement of pollution

The Environment (Protection) Rules 1986


PART – I

Miscellaneous

Any other particulates in respect of environment protection and abatement of pollution

1. There is water spray arrangement to control fugitive emissions.
2. Bag Filters is provided with the stacks with desired capacity.
3. The company has developed green belt within the plant area.
4. World environment day is celebrated to promote awareness of environment issues.

For N. N. Ispat Pvt. Ltd.



Director

ঠিকানা

দৈনিক স্টেটসম্যান
কলকাতা
 ন্যাশনাল হাউস
 ৪ টোরনী কোয়ার্টার, কলকাতা-৭০০০০১
 ফোন: (০৩৩) ২২১২-৭১০০-৭৬
 ফ্যাক্স: (০৩৩) ২২১২-৬১৮১/৬৪৭৩
 ইমেইল: thestatesman@vsnl.com
 johnbulfsilver@yahoo.com
 (Adv. Department),
দিল্লি
 স্টেটসম্যান হাউস
 ১৪৮, বাবখায়া রোড, নিউ দিল্লি-১১০০০১
 ফোন: (০১১) ২৩০১-৫২১১
 ফ্যাক্স: (০১১) ২৩০১-৫২১৫
 ইমেইল: delhistatesman@gmail.com
 ১১১৩, আই.এ.এস. বিল্ডিং (চতুর্থ তল)
 রক্ষি মার্গ, নিউ দিল্লি-১১০০০১
 ফোন: (০১১) ২৩০১-৮৪০৪
 ইশান হাউস (তৃতীয় তল) এ-২০, সেক্টর টি,
 নাজি, ইউ পি-২০১০০১
 ফোন: (০১২০) ৯১২০-৩০৫২১১
 ফ্যাক্স: (০১২০) ৯১২০-২৫৪৭২১৬
চুবনেশ্বর
 ৪৩ এ, জোন-বি, সেক্টর-এ, মধুেশ্বর
 ইন্ডাস্ট্রিয়াল এস্টেট, চুবনেশ্বর-৭৫১০১০
 ফোন: (০৬৭৪) ২৫৪৮০৬০/৬১/৬২,
 ২৫৪৮০৭১
 ফ্যাক্স: (০৬৭৪) ২৫৪৮০৬১
 ইমেইল: statesmanbbs@vsnl.net
শিলিগুড়ি
 প্লট নং ১০ এ, দানধাম ইন্ডাস্ট্রিয়াল প্রোগ্রাম
 সেক্টর। পো. অফিস - ফুলবাড়ি,
 জেলা- জলপাইগুড়ি, শিলিগুড়ি-৭৩৪২১৮
 পশ্চিমবঙ্গ, ফোন: (০৩৫৩) ২৫৬৮০৬০/
 ৮৩১৫/২৭৭৮/৮৬৮৫
 ফ্যাক্স: (০৩৫৩) ২৫৬৮২১৬
 ইমেইল: kkc099@gmail.com
রংগি
 ৩১১ সি রোড#১, অশোকনগর,
 শিলিগুড়ি - ৮৩৪০০২
 টেলিফোন: (০৩৫১) ২২৪ ৭০৫৪
 ফোন: ০৩৫০১১৭৪২
 ইমেইল:
 binodenarayansingh@yahoo.co.in
শ্রীহরী
 ২/২, বাটলার প্যালেস (জলপাই রোডের
 নিকট), লক্কাই-২২৬০০১
 ফোন: (২৫২২) ২২০ ৬৭০৫
 টেলিফোন: ০২৫২২ ২২০৬০

thestatesman.hyd@gmail.com
বেঙ্গালুরু
 ৪৩০১, হাই পের্টে ফোর, ৪৫, প্যালেস
 রোড, বেঙ্গালুরু - ৫৬০০০১
 ফোন: (০৮০) ২২২৫৩১২২, ২২২০৪৮১৩
 ফ্যাক্স: (০৮০) ২২২০, ৪৮১৩
 ইমেইল: bharathf@gmail.com
হায়দ্রাবাদ
 সাতন ম্যানসন, ৫২তল, ২৬, ইন্ডিয়া রোড,
 চেমাই: ৬০০১০৫
 ফোন: (০৪৪) ২৮২৭৮০০৭/৯৯৮৪
 ফ্যাক্স: (০৪৪) ২৮২২৪৮০০
 ইমেইল: statesmanchennai@yahoo.co.in
প্রুঙ্গ
 মি. বান্দনী ভট্টাচার্য, ড. ভার্মী বোস.
 কমার্শিয়াল কমপ্লেক্স, তৃতীয় তল, মাল্লিকাট,
 চারিয়ারি, শোহাট-৭৮১ ০০১
 ফোন: ০২৪৩৫০১৭৯৩৪
 ইমেইল: fbhatta@gmail.com
বিহার
 মি. আর. কে. ডার্মা, ব্লকটি নং-৪০৩,
 ৫ম তল, বি. এন. অ্যাপার্টমেন্ট, (রোডের নগর
 ওভারব্রিজ), পোস্ট- বোহিয়া নগর, ককরাবান,
 পালনা - ৮০০ ০২০
 ফোন: (০৬১২) ২০৬ ৪২৩২
 মোবাইল: ০৯৪৩১০ ৪৪৪৫২
 ইমেইল: riv_statesman@sify.com
ছত্তিশগড়
 মি. মনীশ সাহুজা, ৫৩, শহীদ স্মারক কমপ্লেক্স,
 বর্ধে মার্কেট, সি. ই. রোড, মারপুর্-৪২২০০১
 মোবাইল: ০৯৪২৫২ ০২০৯৭
 ইমেইল: manish_sahuja@yahoo.com
ওড়িশার
 মিস রায়না দেশাই, ৩১০. শান কমপ্লেক্স (এম
 জে লাইব্রেরীর বিপরীতে - সরকার ৪-এর
 পাশে), এলিশ রিজ, আমেরাবান-৭৫০০০৬
 ফোন: ০৭৯-২৬৫ ৭৯১১৫/০৯৮২৪০২২২২৬
 ইমেইল: reyna.desai@gmail.com
মাদ্রাস
 শ্রীমতী এম. এম. বিসডি
 ১০৭ ডি, মাদ্রাসা মেডিক অ্যাপার্টমেন্ট, মাদ্রাসা
 নগর কোয়ার্টার (দীক্ষা ভূমির নিকট)
 মাদ্রাস - ৪৪০ ০১০
 ফোন: ৯৮২২২ ০২০৬২, ০৭১২-২২২০১৮৬
 টেলিফোন: ০৭১২-২২২০৩৯৬
প্রুঙ্গ
 মি. নরেন্দ্র শি. শিঙে, ভার্গভ অ্যাপার্টমেন্ট,
 গ্রুপ-৪, ৩য় তল, ৬৪৩-বি, শানিওয়ার পোন্ডি,
 ১৯৯৯৯ ১৯৯৯৯

শ্রেণিবদ্ধ

পাবলিক নোটিশ

AN ENVELOPE containing counter-foil of utilized Way Bill No. A9804006 was lost near Kalamandir on Theatre Road on 24th November, 2014. Anybody who may have found it is requested to contact Sigma-C Infrastructure Pvt. Ltd. at 52A, Shakespeare Sarani, Kolkata-17 over Phone 40006231 or 09330313560.

নোটিশ

এতদ্বারা সকলকে অবগত করা বাইতেছে যে, ভারত সরকারের পরিকল্পনা, বন ও জলবায়ু মন্ত্রণালয় তার পত্র নং J-11011/280/2012-1A II(I), তারিখ 5 ফেব্রুয়ারি, 2015 দ্বারা মেরুপূর্ণ এন. এন. ইম্পাত প্রাইভেট লিমিটেডকে ইনডাকসান কর্নেস প্রসারণ, ফেরোগলোয়েস কাউন্সিল ও রোলিং মিল স্থাপনের পরিকল্পনা ছাড়পত্র-দিয়েছে। উক্ত ছাড়পত্রের প্রতিলিপি পশ্চিমবঙ্গ রাজ্য দূষণ নিয়ন্ত্রণ পর্ষদ কলিকাতা কার্যালয়ে পাওয়া যাইবে, ইহা, ভারত সরকারের পরিকল্পনা, বন ও জলবায়ু মন্ত্রণালয়ের ওয়েবসাইটে (<http://envfo.nic.in>) দেখা যাইতে পারে।
 এন. এন. ইম্পাত প্রা. লি. দিওয়ানদিবি, পালিতপুর রোড বর্ধমান, পশ্চিমবঙ্গ (D7852)

টেডার নোটিশ

OFFICE of the Councillors of Joynagar Muzilpur Municipality P.O. - Joynagar Muzilpur, Dist. - South 24 Pgs. E-bids are invited by the Chairperson - J.M.M. for the

পুরুলিয়ার ভাঙাচোরা রাস্তা চলাচলের অযোগ্য

নিজস্ব সংবাদদাতা, পুরুলিয়া, ২২ ফেব্রুয়ারি- জরুরখলের দাপটে শুধু পুরুলিয়া শহরের নিকালি ব্যবস্থা লাটে গুঠেনি রাস্তাঘাটও বেহাত হয়ে যাচ্ছে। এক সময় যে পুরুলিয়া শহরে কোনও দিনও যানজটের কথা ভাবাই যেত না সেখানে এখন যানজট নিত্য দিনের ঘটনা। ভোগান্তি হচ্ছে সাধারণ মানুষের। এমনভেই দীর্ঘদিন মেরামতের অভাবে পুর এলাকার বড় বড় রাস্তা সহ শহরের অলিগলি বেহাল। বহু দিন ধরে পুরুলিয়া শহরের প্রধান প্রধান রাস্তার ওপর চাপ কমাতে প্রশাসনিকভাবে আলোচনা চলছে। আজও সে কাজে কোনও অগ্রগতি হয়নি। শহরের যে কটি প্রধান রাস্তা ভাল আছে সেগুলিও জরুরখলের কবলে। ফুটপাথ বলে আর অবশিষ্ট কিছু নেই। সবই দখল হয়ে গেছে। লোকজন থেকে পাটি অফিস কি নেই সব পাকা রাস্তার ধার ছুড়ে। পুরুলিয়া স্টেশন যাতায়র পাকা রাস্তা যেন গলি পথ। সেই পথ দিয়েই

যেঁধাযেঁধি করে দৌড়াচ্ছেমানুষ সহ নানা ধরণের গাড়ি। তৃণমূল পরিচালিত বর্তমান পুরসভার দৌলতে সবই দখল হয়ে গেছে। শহরের প্রধান রাস্তাজুড়ে থাকে রিক্সা, সাইকেল, বাইক ও মানুষের স্রোত। ফলে যানবাহন চলাচলের জন্য রাস্তাই অবশিষ্ট থাকে না। দিনের ব্যস্ততম সময়ে যানজট জ্বলজ্বল করে। শহরের ওয়ার্ডগুলির ভিতরের রাস্তা বলে যদি কাগজে কলমে কিছু থেকে থাকে তা সহজে কেউ খুঁজে পাবে না। শহরের রাস্তাগুলি একবার সারাই হলে ছ'মাস পরে তার হাড় ককাল বেরিয়ে যায়। তারপর বৃষ্টিতে ভাঙাচোরা রাস্তা আরও খারাপ হয়েছে। বহু পুরনো পুরুলিয়া পুরসভা। নির্দিষ্ট সময় অন্তর বোর্ড পাল্টেছে। অনেকেই পুরপ্রধান হয়েছেন পুরসভার দখলে সিপিএম থেকে কংগ্রেস, বর্তমানে তৃণমূল কংগ্রেস। কিন্তু সবারই প্রায় কাজের ধরণ একই। বলা বাহুল্য বর্তমান পুরবোর্ডের উদাসিন্য একটু বেশিই

অস্বাভাবিক ঠেকেছে শহরবাসীর কা চেয়ারম্যান সিপিএমের বিনায়ক ভাট্টা পুরসভার প্রধান রাস্তাগুলিতে ভারি মাফ চাপ-নেওয়ার ক্ষমতা নেই। সেভা বেও হয় না। ফলে রাস্তা সারানো হলেও টেকে না। বর্তমান পুর কর্তৃপক্ষে ইঞ্জিনিয়ারদের সঙ্গে পরামর্শ করে ব্যা দিয়ে রাস্তা করা। যদিও কোনও রাস্তা দ্বারা রক্ষণাবেক্ষণ ও মেরামতির হয় অনেকের মত। সামনেই পুরভেট, কিছু রাস্তা যেনভেতম প্রকারে পালিশ হয়েছে। কিন্তু যে সমস্ত নিম্ন মানের রাস্তা তৈরি হচ্ছে সেটাকে দিনে ডাব অনেকের মত। পুরভেটের পরই ওই ককাল বেরিয়ে পড়বে বলেও অনেকে তবে অনেকেই মনে করছেন, নতুন রাস্তা ভেট পাওয়ার জন্য।



Classified

EDUCATIONAL

UNIVERSITY OF CALCUTTA
Advertisement No. Est/JAdvt/2858/2015
Dated : 18/02/2015

Applications are invited in plain paper for the Babu Jagjivan Ram Visiting Professor. For details Please Visit University web-site : www.caluniv.ac.in

Sd/-
Registrar

LEGAL NOTICES

NOTICE
F.A. 1126 of 2014
Debashis Brahma;

...Appellant
-Vs-
Pabitra Dam & Remac
India

...Respondents
To
The Manager, Remac
India, Remac India House,
41A, S.P. Mukherjee Road,
Kolkata-26.

The above matter is fixed for hearing on 20.3.2015 before the State Consumer Disputes Redressal Commission, W.B. at 10.30 a.m. Please take necessary steps in this regard.

Malabika Roy Dey
Advocate for Appellant
0031689

LOST & FOUND

VELOPE containing
all of utilized Way
604006 was lost
and on Theatre
with November,
dy who may
is requested
Sigma-C
Pvt. Ltd. at
are Sarani,
ver phone
913560.

is
er
m-
he
ter
ster
acif-
mal
ation
nd 10
1 lev-
reater
aid.

Barishalpara. P.O. -
Narayanpur, Dist.-24 Pgs.
(N) is being known as Raj
Ghosh in lieu of Haradhan
Ghosh, vide affidavit sworn
before the Hon'ble 1st Class
Magistrate, Barrackpore
Court on 02.07.2003.
CL00031629

I, JAYDEB Dey of Purbasa,
P.O. & P.S.: Barasat, Pin-
700124, declare that Jaydeb
Kumar Dey henceforth be
known as Jaydeb Dey, vide
affidavit sworn before the
Ld. 1st Class Judicial
Magistrate at Barasat on
16.2.2015.
CL00031677

PUBLIC NOTIFICATIONS

NOTICE
My client Sri Amal Kanti
Dutta, S/o. late Nani Gopal
Dutta, Nabannagar, Dulliya,
Sankrail, Howrah-711302

has lost his original sale
Deed No. I-3132 of 1989, Dtd.
- 18.08.89 duly registered
with the Office of the
District Registrar at Howrah
in respect of the property of
Mouza - Dulliya (JL No. 35),
P.S. - Sankrail, Khatian No.
970 (Old), 196/1 (New), Dag
No. 1205, 1205/1808 of 1261
and 1262 totally 3 cottahs
along with G+1 building
from his custody.
Accordingly a GDE No.
481/15, Dtd. - 14.02.15 has
been lodged by him at
Nazirgunj IC, PS - Sankrail,
Howrah. He already intend-
ed to sell out the above
property to Samrat
Chatterjee. If anybody finds
the same or has any claim
and/or objection in connec-
tion to the said matter, such
objection in writing may be
lodged with the under-
signed within 15 days from
this day with full particu-
lars. Thereafter no claim,
objection shall be enter-
tained and the matter shall

be settled according to law.
Subhas Ranjan Chakravorty
Advocate
Prabashini Bhavan
Jhorehat, Nakata Bagan
Andul, Howrah-711302
CL00031674

NOTICE
This is to inform all the
concerned that the Ministry
of Environment, Forests and
Climate Change, Govt. of
India, vide its Letter No.-J-
11011 / 280 / 2012-IA II (I),
dated 5th February, 2015
has accorded
Environmental Clearance
for expansion of Induction
Furnace and installation of
Ferro Alloys Plant, Foundry
& Rolling Mill at Vill.:
Dewandigh, Pallitpur Road,
Burdwan, West Bengal by
N.N. Ispat Pvt. Ltd. The copy
of Environmental Clearance
is available with the Office
of West Bengal Pollution
Control Board, Kolkata and
may also be seen at the
website of The Ministry of

Environment, Forests and
Climate Change, at
http://envfor.nic.in
N.N. Ispat Pvt. Ltd.
25, Ganesh Chandra
Avenue, 4th Floor
Kolkata-700013
West Bengal
CL00031675

TENDERS

MSTC LIMITED
(A Govt. of India Enterprise)
Eastern Regional Office
225F, A. J. C. Bose Road (3rd
Floor), Kolkata-20
Tel.: (00-91-33) 2281-2877 /
2289-6048 / 1403
Fax: (00-91-33) 2287-4915
Website:
www.mstcindia.co.in
MSTC will conduct E-
Auction(s) on behalf of
MSTC / ERO / 5 FIELD OR-
DNANCE DEPOT / 24/ 5FOD
/14-15/15193 and MSTC/
ERO / 5FIELD ORDANCE
DEPOT / 24 / 5FOD / 14-15 /

15193 on 26.02.2015. For
details please visit:
www.mstcecommerce.com
or www.mstcindia.co.in
CL00031696

OFFICE of the Councilors
of Joynagar Mozilpur
Municipality,
P.O.-Joynagar-Mozilpur,
Dist.-South 24 Pgs.
E-bids are invited by the
Chairperson - J.M.M. for the
water supply scheme within
J.M.M. under UIDSMT pro-
gramme.

Sl. No.: (1).
Name of the work: Laying
of clear water rising main
for the proposed water supply
scheme at Zone-A within
Joynagar Mozilpur
Municipality under
UIDSSMT Programme.
Bid No.: WBMAD / ULB /
JOYNAGAR-MOZILPUR / 21 /
UIDSSMT / 2014-15.
Documents download
starting date: 19.02.15 at
4.00 p.m.
Bid submission starting
date: 19.02.15 at 4.00 p.m.
Bid submission closing
date: 26.02.15 at 2.00 p.m.
Details may be seen in the
website: https://wb
tenders.gov.in

Chairperson
Joynagar Mozilpur
Municipality
CL00031670

MOTHER DAIRY CALCUTTA
P.O.-Dankuni Coal Complex
Dist.-Hooghly (W.B.)
Pin-712310

PUR/TENDER-169/
CSM/MCU/SM
18.02.15

Mother Dairy Calcutta
invites tender offer for
"Servicing and mainte-
nance of Milk Chilling units
of our Mini Dairies located
at Kolkata, 24 Parganas
(N&S) and Howrah /
Hooghly Zone". Please visit:
www.wbtenders.gov.in &
www.motherdairycalcutta.
com for details. Offer may
be uploaded up to 2 p.m. on
09.03.15.

Chief General Manager
CL00031679

**BIDHAN CHANDRA KRISHI
VISWAVIDYALAYA**
Mohampur, Nadia-741252
Please go through the
BCKV website: www.bckv.
edu.in for details regarding
submission of tender for
AAS.
CL00031682

**JADAVPUR
UNIVERSITY**
Kolkata-700032

Munda slams Opp for criticising gov

PRESS TRUST OF INDIA
Jamshedpur, 22 February

Former Jharkhand Chief
Minister Arjun Munda today
pulled up the opposition parties
for criticising the perfor-
mance of Raghuvar Das-
led BJP government in the
state without allowing it
time to discharge responsi-
bilities.

"It is inappropriate to com-
ment on the performance of
the state government which
is proceeding in the right
direction," Munda told news-
men after taking part in a func-
tion organised to mark the 15th
anniversary of a Hindi mag-
azine "Rastra Samvad", here.
The Opposition should

allow some time
new government
before they start
on its perform
said.

To a query a
prospect in the cor-
bly poll in Bihar
thumping victory,
Kejriwal-headed
Party, Munda said
try like India the
a state would be
on other state wh
ing confidence
much better.

Appreciating
Samvad for living
tation for so long
leader said Hindi
been facing lot of
and challenges.


EXACT CHANGE CO

DMRC's meet coin

PRESS TRUST OF INDIA
New Delhi, 22 February

Faced with the issue of
shortage of coins, Delhi
Metro today set up an
"exact change counters"
across 20 busiest stations
on its network to curtail
queuing or waiting time
for passengers.

At these counters, only
those passengers who ten-
der exact change can buy
tokens. "This will avoid
any queuing or waiting
time for passengers as
they won't have to wait
for return change after
buying the tokens," a



faces a demand
approximately
coins per day (1
and 5 denomin
However, only
4.5 lakh (Rs) co
made available
stations on da
which creates
between dema
only the offic

The Statesman

KOLKATA

Statesman House,
4, Chowringhee Square
Kolkata-700 001
Tel: (033) 22127070-76,
(033) 71071700
Fax: (033) 2212-6181 /
7107-1780
Email:
thestatesman@vsnl.com
johnbullsilver@yahoo.com

DELHI

Statesman House,
148, Barakhamba Road,
New Delhi-110 001
Tel: (011) 2331 5911
Fax: (011) 2331 5295
Email: sman@nde.vsnl.net.in,
delhistatesman@gmail.com
3/10, INS Building
(3rd floor) Rafi Marg,
New Delhi-110 001,
Tel: (011) 2371 8434
Email:
shivaji.samaddar@gmail.com
Ishan House (2nd floor)
A-90, Sector II NOIDA,
110 201 301

Siliguri-734015
Tel: 2568615, 2568063 and
2568787. Fax: (0353) 2568296.
Email:
sil_statesman@yahoo.co.in /
kkc099@gmail.com

BHUBANESWAR

Plot 3A, Zone B, Sector A,
Mancheswar Industrial Estate,
Bhubaneswar-
751 010. Tel: (0674)
2588060/61/62/25886371,
Telefax: 0674-2588061
Email:
statesmanbbsr@gmail.com

BHOPAL

Mr. Yogesh Kumar
D-Sector-294, Nehru Nagar,
Kota, Bhopal, (M): 9424242664

HYDERABAD

The Statesman Limited, 2nd
Floor, UNI Building, A.C.
Guards, Hyderabad-500004,
Ph.: 040-2339 1739
Email:
thestatesman.hyd@gmail.com

MUMBAI

5, Kasturi Buildings Jamshedji
Tata Road, Mumbai-400 020
Tel: (022) 2202 1045, 2202 1394,
Fax: 2204 4877
Email: thestatesman.mumbai
@gmail.com

CHENNAI

Fagun Mansion (4th floor) 26,
Ethirai Road, Chennai-600 008,
Tel: (044) 28278037, 28279984
Fax: 28224800
Email: statesman@eth.net
patgd65@gmail.com

LUCKNOW

2/2, Butler Palace (Near Jopling
Road), Lucknow-226 001,
Ph.: (0522) 2206705, 9415920949
Email:
soumenbose1975@gmail.com
bose.soumen@rediffmail.com

RAIPUR

Mr. Manish Saluja 53, Sahid
Samarak Complex Bombay
Market, G.E. Road,
Raipur 492001.
Tel.: 5035985, (M): 9425202097