

**Six Monthly
Environmental Compliance Report
(Period: April, 2025 to September, 2025)**

**Refer: Environmental Clearance from MoEF&CC,
File No. J-11011/280/2012-IA II (I) dated 5th February, 2015**

for

**Status of Environmental Clearance Conditions for
Proposed Expansion of Induction Furnace and
Installation of Ferro Alloys Plant, Foundry & Rolling Mill
Project in the existing Plant Area**

at

**Village: Diwandigih, P.O. & Mouza Mirzapur, Palitpur
Road, Dist. Purba Burdwan, West Bengal**

Project Proponent

M/s N N ISPAT PRIVATE LIMITED

25, Ganesh Chandra Avenue, 4th Floor, Kolkata - 700 013, West Bengal

**STATUS OF ENVIRONMENTAL CLEARANCE CONDITIONS FOR
PROPOSED EXPANSION OF INDUCTION FURNACE AND INSTALLATION
OF FERRO ALLOYS PLANT, FOUNDRY & ROLLING MILL IN THE
EXISTING PLANT AREA AT VILL. DIWANDIGH, P.O.: MIRZAPUR,
PALITPUR ROAD, DIST. PURBA BURDWAN, WEST BENGAL BY
M/s N. N. ISPAT PVT. LTD.**

(PERIOD: APRIL, 2025 TO SEPTEMBER, 2025)

**Refer Environmental Clearance from MoEF&CC vide File No.
J-11011/280/2012-IA II (I) dated 5th February, 2015**

M/s N. N. Ispat Pvt. Limited obtained Environmental Clearance (EC granted vide File No. J-11011/280/2012-IA-II-(I), dated 05-02-2015) from Ministry of Environment, Forest & Climate Change (MoEF&CC), Govt. of India for proposed expansion of Induction Furnace with matching LRF & CCM and Installation of Ferro Alloys Plant, Foundry & Rolling Mill. The details of the project as per EC 2015 is presented below,

Sl. No.	Name of the Units	As per EC from MoEF&CC (F. No. J-11011/280/2012 - IA II (I) dated 05-02-2015)	
		Units under operation	Units not implemented
1	Induction Furnaces with matching LRF & CCM	2x8 T + 2x15 T	-
2	Rolling Mill	1,20,000 TPA Structural Steels (Angels, Channels, TMT etc.)	-
3	Ferro Alloy Plant	-	2x9 MVA Submerged Arc Furnaces
4	Foundry Consisting of Cupola Furnace	-	2x5 T
5	Induction Furnace	-	2x3 T
6	Green Sand Plant	-	2x20 TPH
7	Sand Reclamation Plant	-	2x10 TPH

The compliance status of the special conditions and general conditions, as issued by MoEF&CC in the above mentioned Environmental Clearance is discussed below:

A. SPECIFIC CONDITIONS

SL. NO.	SPECIFIC CONDITIONS	REPLY
1.	The proponent shall obtain prior Wildlife clearance for expansion of the project. In case the project is located outside the ESA, a Notification of ESZ Ramnabagan Wild life Sanctuary of the State Government and a map with minimum distance of the project site from the boundary of ESZ authenticated by PCCF (WL) shall be furnished.	Wildlife Clearance has been obtained. (Refer Annexure-I) for the copy of Wildlife Clearance).
2.	Measures shall be taken to reduce PM levels in the ambient air. Stack of adequate height & diameter with continuous stack monitoring facilities for all the stacks shall be provided and sufficient air pollution control devices viz. Electrostatic precipitator (ESP), bag house, bag filters etc. shall be provided to keep the emission levels below 50 mg/Nm ³ and installing energy efficient technologies in the Plant.	One stack of 30 m height & 2.1 m diameter is installed with 2X8 T & 2x15 T Induction Furnaces. High efficiency bag filter is installed to arrest particulate matters, generating from the induction furnaces within the prescribed level of 50 mg/Nm ³ . Besides, other measures along with mobile Water Sprinkling System is implemented to control fugitive emissions inside the plant area. Continuous Online Stack Monitoring system is installed with the stack connected to Induction Furnace.

3.	On-line ambient air quality monitoring and continuous stack monitoring facilities for all the stacks shall be provided and sufficient air pollution control devices. Gaseous emission levels including secondary fugitive emissions from all the sources shall be controlled within the latest permissible limits issued by the Ministry vide G.S.R. 414(E) dated 30 th May, 2008 and regularly monitored. Guidelines/ Code of Practice issued by the CPCB shall be followed.	<p>Continuous On-line ambient air quality monitoring facility as well as Continuous stack monitoring facility already installed within the plant premises.</p> <p>One stack of 30 m height & 2.1 m diameter is installed with 2X8 T & 2x15 T Induction Furnaces. High efficiency bag filter is installed to arrest particulate matters, generating from the induction furnaces within the prescribed level of 50 mg/Nm³.</p> <p>Other measures along with mobile Water Sprinkling System is implemented to control fugitive emissions inside the plant area.</p>
4.	Dust suppression system and bag filters shall be installed to control the fugitive dust emissions at conveyor and transfer points, product handling, loading and unloading points.	<p>Dry fogging system with mobile Water Sprinkling System is implemented to control fugitive emissions inside the plant area.</p> <p>Fugitive emission test report for three locations-near the raw materials yard, near the ADM building, and near the induction furnaces is enclosed as Annexure-II.</p>
5.	Water consumption shall not exceed as per the CREP standard prescribed for the steel plants. Additional water, if any, required for the plant project operations shall be met from rainwater stored in rainwater harvesting structures.	<p>Daily fresh water requirement for Induction furnaces, LRF, CCM & Rolling Mill, including domestic demand is being sourced from Bore wells. Permission has been obtained from State Water Investigation Department (SWID).</p> <p>Harvested rain water is being used for greenery, dust suppression purpose other non-critical purpose within the project site.</p>
6.	Rainwater harvesting scheme shall be prepared so that the rainwater can be collected, re-used and may	A Rainwater Harvesting Pond has been implemented in the project site. Roof top

	be used for ground water recharge. The concrete drains shall be de-silted and regular supervision of the areas shall be carried out so that blocking of drains may be avoided for quick discharge of rainwater. Efforts shall further be made to use maximum water from the rain water harvesting sources. If needed, capacity of the reservoir shall be enhanced to meet the maximum water requirement.	rain water as well as surface run-off is being collected in the pond. To avoid blocking of the concrete drains regular supervision is being carried out for quick discharge of rainwater. Harvested rain water is being used for greenery, dust suppression purpose other non-critical purpose within the project site.
7.	Greenbelt of approximately 15-20 meter width consisting of a 3-tier of trees consisting of species with thick canopy shall be developed all along the periphery of the plant, roads, vacant spaces, transfer points, etc. as part of 33% of total plant area.	A local horticulturist has been appointed to develop an appropriate green belt following the CPCB guidelines. N. N. Ispat Pvt. Ltd. has developed 3.35 acres (1.35 hectare) (which is around 33.3% of total land 10.05 Acres) of land for Green Belt development with 4610 plants of various species.
8.	All the effluents shall be treated and reused for dust suppression/green belt development. No effluent shall be discharged and 'zero' discharge shall be adopted.	The plant is designed based on zero discharge concept. The waste water from cooling tower is being recirculated through cooling and treatment. The treated wastewater is being used in dust suppression & Greenery purpose within the plant premises.
9.	Proper utilization of fly ash shall be ensured as per Fly Ash Notification, 1999 and subsequent amendment in 2003 and 2010. All the fly ash shall be provided to cement and brick manufacturers for further utilization and Memorandum of Understanding shall be submitted to the Ministry's Regional Office at Bhubaneswar.	No fly ash is being/will be generated from the process. Only Induction furnace slag is being generated from the process which is being used in land filling and road construction purposes.
10.	Hazardous materials required during construction phase and in plant operations shall be stored properly as per the regulations and	As such, no major hazardous waste is being generated in the operational phase

	reused/recycled as per the E(P)A Rules.	however oil & grease is stored properly. However, the Company obtained Hazardous Waste Authorization Certificate, received from the West Bengal Pollution Control Board, vide Ref. no. WBPCB/5145129/2024 dated 14.06.2024, which is valid upto 31.05.2029.
11.	Vehicles and construction machinery are properly maintained to minimize the exhaust emission as well as noise generation to meet prescribed standards.	Vehicles plying within the plant do not exceed the speed limit of 25 km/hr. Mobile water sprinkler is being used to minimize dust flow.
12.	Risk and Disaster Management Plan along with the mitigation measures shall be prepared and implemented.	The mitigation measures against "Risk and Disaster Management Plan" as mentioned in the EIA Report is being maintained in the plant area.
13.	All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the Steel Plants shall be implemented.	Relevant norms and measures w.r.t. CREP guidelines for the existing plant is being complied with. Continuous On-line ambient air quality monitoring facility as well as Continuous stack monitoring facility already installed within the plant premises. The CEMS system is also connected with the server of CPCB. Continuous On-line data are enclosed as Annexure-VI .

14.	All the commitments made to the public during public hearing/public consultation shall be satisfactorily implemented and adequate budget provision shall be made accordingly.	<p>Commitments made to the public during the Public Hearing / Public Consultation meeting held on 10th March, 2014 like job opportunity, Air Pollution Control measures, green belt development, CER activities etc. are being complied by the Company.</p> <p>The Management is specifically concentrating the need-based requirement of the local people, to fulfil the actual needy people of the locality under the CER programmes with Free ration, Drinking Water, School donations, Renovation of local Mandir, Donations for Marriage of girls etc.</p>
15.	All the permanent workers shall be covered under ESI Scheme. The company shall have the provision for treatment of its workers at the local Nursing Homes & Hospitals in case of emergency. Annual Medical Check-up on some medical parameters like Blood test, Chest X-Ray, Eye test, Audiometry, Spirometry etc. shall be conducted amongst the employees of the Company and records thereof maintained.	<p>➤ All the permanent workers is covered under ESI Scheme.</p> <p>➤ The company have the provision for treatment of its workers at the local Nursing Home and Hospital (Burdwan Medical College & Gauridevi Hospital) in case of emergency.</p> <p>Periodical Medical Check-up on some medical parameters like blood test, chest X-ray, audiometry and spirometry amongst the present employees is being done as suggested by the Doctor.</p>
16.	At least 5% of the total cost of the project shall be earmarked towards the Enterprise Social Commitment (ESC) based on local needs. The proponent shall prepare a detailed CSR Plan for every next 5 years for the existing-cum-expansion project, which includes village-wise, sector-wise (Health, Education, Sanitation,	<p>Commitments made to the public during the Public Hearing / Public Consultation meeting held on 10th March, 2014 like job opportunity, Air Pollution Control measures, green belt development, CER activities etc. are being complied by the Company.</p> <p>The Management is specifically</p>

<p>Health, Skill Development and infrastructure requirements such as strengthening of village roads, avenue plantation, etc.) activities in consultation with the local communities and administration. The CSR Plan will include the amount of 2% retain annual profits as provided for in Clause 135 of the Companies Act, 2013 which provides for 2% of the average net profits of previous 3 years towards CSR activities for life of the project. A separate budget head shall be created and the annual capital and revenue expenditure on various activities of the Plan shall be submitted as part of the Compliance Report to RO, at Bhubaneswar. The details of the CSR Plan shall also be uploaded on the company website and shall also be provided in the Annual Report of the company.</p>	<p>concentrating the need-based requirement of the local people, to fulfil the actual needy people of the locality under the CER programmes with Free ration, Drinking Water, School donations, Renovation of local Mandir, Donations for Marriage of girls etc.</p> <p>The average profit for the preceding three years is Rs. 13.21 crores, and PP have spent Rs. 39.09 lakhs for the current financial year as per their CSR plan, which amounts to approximately 3% of the average profit.</p>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

B. GENERAL CONDITIONS

SL. NO.	GENERAL CONDITIONS	REPLY
1.	The project authorities must strictly adhere to the stipulations made by the West Bengal Pollution Control Board and the State Government.	Stipulations laid down by the West Bengal Pollution Control Board & the state Government is being followed.
2.	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change (MoEF&CC).	There will be no expansion or modification of the units shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change (MoEF&CC).
3.	At least four ambient air quality monitoring stations should be established in the downward direction as well as where maximum ground level concentration of PM ₁₀ , PM _{2.5} , SO ₂ and NO _x are anticipated in consultation with the SPCB. Data on ambient air quality and stack emission shall be regularly submitted to this Ministry including its Regional Office at Bhubaneswar and the SPCB/CPCB once in six months.	<p>Ambient Air Quality data for four ambient air quality monitoring stations is monitored for the period of April, 2025 to September, 2025 in & around the project site. Air quality data is enclosed as Annexure-II.</p> <p>Emission test report for existing stacks is monitored and is enclosed as Annexure-II.</p>
4.	Industrial waste water shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 th May, 1993 and 31 st December, 1993 or as amended from time to time. The treated waste water shall be utilized for plantation purpose.	The plant is designed as a zero discharge plant as far as the process effluent are concerned. The waste water from cooling tower is being recirculated through cooling and treatment. The treated wastewater is being used for plantation & other purposes inside the plant area.
5.	The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control	Appropriate noise control measures in the form of silencers, sound proof enclosures etc. is installed with the noise generating

	measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (day time and 70 dBA (night time).	equipment to control noise pollution. Noise level at different locations within the plant area as well as out side the plant area is being monitored on regular basis. Monitored results for the period April, 2025 to September, 2025 is attached as Annexure-II.
6.	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Already discussed above.
7.	The company shall develop rain water harvesting structures to harvest the rain water for utilization in the lean season besides recharging the ground water table.	A Rainwater Harvesting Pond has been implemented in the unit. To avoid blocking of the concrete drains regular supervision is being carried out for quick discharge of rainwater. Harvested rain water is being used for greenery, dust suppression purpose other non-critical purpose within the project site. Provision for ground water recharging is not made as ground water recharging is not allowed by WBPCB.
8.	The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/EMP report. Further, the company must undertake socio-economic development activities in the surrounding villages like community development programmes, educational programmes, drinking water supply and health care etc.	The company has complied all the environmental protection measures and safeguards as recommended in the EIA/EMP report. The Management is in regular interaction with the local community to understand the exact need of the local population and Based on such efforts, appropriate and need based CER programmes likewise Free ration, Drinking Water, School donations, Renovation of local Mandir, Donations for Marriage of girls, Health

		facilities, Free vaccination drive etc. are being considered.
9.	Requisite funds shall be earmarked towards capital cost and recurring cost/annum for environment pollution control measures to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change (MoEF&CC) as well as the State Government. An implementation schedule for implementing all the conditions stipulated herein shall be submitted to the Regional Office of the Ministry at Bhubaneswar. The funds so provided shall not be diverted for any other purpose.	Rs. 4.5 Crores are being considered for investment by the company towards capital cost for environment pollution control measures for the entire project. The earmarked funds will not be used for any other purposes other than pollution control efforts as stated above.
10.	A copy of clearance letter shall be sent by the proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban Local Body and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the web site of the company by the proponent.	The copy of the environmental clearance is already submitted to the local Panchayat. Receipt copy after submission of accorded Environmental Clearance (EC) to local Panchayat is enclosed as Annexure-III .
11.	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the MoEF&CC at Bhubaneswar. The respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; PM ₁₀ ,	Copy is being uploaded in the Company website. This six monthly Compliance report is being submitted to IRO, MoEF&CC, Kolkata Office. Continuous On-line ambient air quality monitoring facility as well as Continuous stack monitoring facility already installed within the plant premises.

	SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	The data of Continuous On-line ambient air quality monitoring as well as Continuous stack monitoring is enclosed herewith as Annexure-VI .
12.	The project proponent shall also submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both in hard copies as well as by e-mail) to the Regional Office of MoEF&CC, the respective Zonal Office of CPCB and the SPCB. The regional Office of this Ministry at Bhubaneswar/ CPCB/ SPCB shall monitor the stipulated conditions.	This six monthly Compliance report is being submitted to IRO, MoEF&CC, Kolkata Office.
13.	The environmental statement for each financial year ending 31 st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental conditions and shall also be sent to the respective Regional Office of the MoEF&CC at Bhubaneswar by e-mail.	Environmental Statement (Form-V) is prepared for the last financial year ending the 31 st March, 2025 and Enclosed as Annexure-IV .
14.	The Project Proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB and may also be seen at Website of the	Advertisement w.r.t. Environmental Clearance had been done in English & Bengali newspapers (refer Annexure-V).

	Ministry of Environment, Forest and Climate Change (MoEFCC) at http://envfor.nic.in . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same should be forwarded to the Regional office at Bhubaneswar.	
15.	Project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.	<p>Date of financial closure: April 2015</p> <p>Date of final approval of the project by the concerned authorities: March 2018</p> <p>Date of commencing the land development work: March 2015</p>

List of Enclosed Annexures:

- Annexure-I :** Copy of Wildlife Clearance
- Annexure-II:** Ambient Air Quality Monitoring Report, Stack Emission Test Report, Fugitive Emission Report & Ambient Noise Monitoring Report
- Annexure-III :** Receipt copy after submission of accorded Environmental Clearance (EC) to Local Panchayat
- Annexure-IV:** Filled up Environmental Statement (Form-V)
- Annexure-V :** Copy of Advertisement in News Paper after EC obtained
- Annexure-VI:** Continuous emission data for CAAQMS and OCEMS

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accredited by NABL, as per ISO/IEC 17025:2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India
☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com
CIN NO : U74210WB1989PTC047403

ANNEXURE-II

AMBIENT AIR QUALITY MONITORING RESULTS

Name of Industry	M/s. N. N. ISPAT PVT. LTD.
Address	Village Diwandighi, P.O. & Mouza - Mirzapur, Palitpur Road, District - Purba Burdwan, West Bengal

TABLE: - 1				
Onsite Ambient Air Quality Monitoring Results				
Location		Near Main Gate		
(Period: April, 2025)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m³)	(µg/m³)	(µg/m³)	(µg/m³)
03.04.2025	81	38	14	29
07.04.2025	79	36	10	26
10.04.2025	72	35	9	31
14.04.2025	82	37	16	23
17.04.2025	83	39	11	26
21.04.2025	75	35	9	39
24.04.2025	84	39	8	27
28.04.2025	70	33	12	35

TABLE: - 2				
Onsite Ambient Air Quality Monitoring Results				
Location		Malkita Village		
(Period: April, 2025)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m³)	(µg/m³)	(µg/m³)	(µg/m³)
04.04.2025	72	34	10	28
08.04.2025	75	39	6	22
11.04.2025	76	37	9	36
15.04.2025	65	29	11	30
18.04.2025	73	35	10	25
22.04.2025	78	38	8	30
25.04.2025	69	32	12	21
29.04.2025	76	34	8	28

For ENVIROTECH EAST (P) LTD.



[Signature]

(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accredited by NABL, as per ISO/IEC 17025:2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India
☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com
CIN NO : U74210WB1989PTC047403

AMBIENT AIR QUALITY MONITORING RESULTS

Name of Industry	M/s. N. N. ISPAT PVT. LTD.
Address	Village Diwandighi, P.O. & Mouza - Mirzapur, Palitpur Road, District - Purba Burdwan, West Bengal

TABLE: - 3				
Onsite Ambient Air Quality Monitoring Results				
Location		Mirzapur Village		
(Period: April, 2025)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m³)	(µg/m³)	(µg/m³)	(µg/m³)
04.04.2025	60	24	11	20
08.04.2025	78	37	14	26
11.04.2025	67	25	9	20
15.04.2025	65	31	12	33
18.04.2025	71	31	10	30
22.04.2025	62	25	13	25
25.04.2025	68	29	9	19
29.04.2025	65	27	10	24

TABLE: - 4				
Onsite Ambient Air Quality Monitoring Results				
Location		Palitpur Village		
(Period: April, 2025)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m³)	(µg/m³)	(µg/m³)	(µg/m³)
03.04.2025	76	36	10	37
07.04.2025	68	30	8	21
10.04.2025	80	39	15	27
14.04.2025	75	35	11	32
17.04.2025	81	40	7	36
21.04.2025	73	33	13	30
24.04.2025	78	37	7	25
28.04.2025	82	39	10	20

For ENVIROTECH EAST (P) LTD.



[Signature]

(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accredited by NABL, as per ISO/IEC 17025:2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India
☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com
CIN NO : U74210WB1989PTC047403

AMBIENT AIR QUALITY MONITORING RESULTS

Name of Industry	M/s. N. N. ISPAT PVT. LTD.
Address	Village Diwandighi, P.O. & Mouza - Mirzapur, Palitpur Road, District - Purba Burdwan, West Bengal

TABLE: - 5				
Onsite Ambient Air Quality Monitoring Results				
Location		Near Main Gate		
(Period: September, 2025)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)
01.09.2025	66	29	6	28
04.09.2025	74	34	8	20
08.09.2025	66	30	10	18
11.09.2025	62	25	12	23
15.09.2025	64	28	7	26
18.09.2025	67	29	13	19
22.09.2025	80	38	15	22
25.09.2025	71	32	9	25

TABLE: - 6				
Onsite Ambient Air Quality Monitoring Results				
Location		Malkita Village		
(Period: September, 2025)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)
02.09.2025	60	27	8	14
05.09.2025	65	31	5	16
09.09.2025	53	23	7	18
12.09.2025	60	26	9	13
16.09.2025	65	29	5	16
19.09.2025	58	26	8	20
23.09.2025	53	22	6	12
26.09.2025	65	30	7	17

For ENVIROTECH EAST (P) LTD.



[Signature]

(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accredited by NABL, as per ISO/IEC 17025:2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India
☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com
CIN NO : U74210WB1989PTC047403

AMBIENT AIR QUALITY MONITORING RESULTS

Name of Industry	M/s. N. N. ISPAT PVT. LTD.
Address	Village Diwandighi, P.O. & Mouza - Mirzapur, Palitpur Road, District - Purba Burdwan, West Bengal

TABLE: - 7				
Onsite Ambient Air Quality Monitoring Results				
Location		Mirzapur Village		
(Period: September, 2025)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m³)	(µg/m³)	(µg/m³)	(µg/m³)
02.09.2025	50	18	7	18
05.09.2025	65	30	4	14
09.09.2025	53	18	5	12
12.09.2025	57	25	6	9
16.09.2025	51	18	7	14
19.09.2025	62	27	5	10
23.09.2025	67	30	10	13
26.09.2025	53	19	4	17

TABLE: - 8				
Onsite Ambient Air Quality Monitoring Results				
Location		Palitpur Village		
(Period: September, 2025)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)
01.09.2025	62	27	7	13
04.09.2025	66	30	12	16
08.09.2025	70	32	9	20
11.09.2025	58	23	14	17
15.09.2025	64	29	9	10
18.09.2025	57	24	11	20
22.09.2025	60	28	7	16
25.09.2025	70	32	13	22

For ENVIROTECH EAST (P) LTD.





(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accredited by NABL, as per ISO/IEC 17025:2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India
☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com
CIN NO : U74210WB1989PTC047403

ALYSIS REPORT OF FLUE GAS

Name of Industry	M/s. N. N. ISPAT PVT. LTD.
Address	Village Diwandighi, P.O. & Mouza - Mirzapur, Palitpur Road, District - Purba Burdwan, West Bengal
Date of Sampling	22.04.2025
Time of Sampling	10:30 hrs;

A.	General Information about stack		
1	Stack connected to	2X8 T & 2x15 T Induction Furnaces	
2	Emission due to	Process emission	
3	Material of Construction of Stack	M.S	
4	Shape of Stack	Circular	
5	Whether Stack is provided with Permanent Platform & Ladders	Permanent	
6	Capacity	2X8 T & 2x15 T Induction Furnaces	
B.	Physical Characteristics of Stack		
1	Height of the stack		
	(a) from Ground Level (m)	30	
	(b) from Roof Level (m)	-	
2	Diameter of the stack		
	(a) at bottom (m)	-	
	(b) at top (m)	2.1	
3	Diameter of the stack at sampling point (m)	2.1	
4	Height of the sampling point from GL (m)	10.5	
C.	Analysis/Characteristics of Stack		
1	Fuel used	Electricity	
2	Fuel consumption	-	
D	Field Study of Stack(s)	Reference Method	Concentration
1	Temperature of emission (°C)	IS 11255 (Part 1)	138
2	Barometric Pressure (mmHg)	-	752
3	Velocity of gas in duct (M/sec)	IS 11255 (Part 3)	9.54
4	Quantity of gas flow (Nm³/hr)	IS 11255 (Part 3)	84219
5	Concentration of CO (% V/V)	IS 13270	-
6	Concentration of CO ₂ (% V/V)	IS 13270	3.3
E	Laboratory Test Result(s)		
7	Concentration of SO ₂ (mg/Nm³)	IS 11255 (Part 2)	-
8	Concentration of NO _x (mg/Nm³)	US EPA, Method 7	-
9	Concentration of PM (mg/Nm³)	IS 11255 (Part 1)	28
10	Concentration of PM (mg/Nm³) at 12% CO ₂		-
E	Pollution Control Device		
	Details of pollution control device attached with the stack	Bag Filter	

Note : - Contents of this report are meant for your guidance and should not be used for Advertisement, Evidence or Litigation
- The Physical information about stack details (viz. height, diameter etc.) were provided by respective Industry/Party

For ENVIROTECH EAST (P) LTD.



[Signature]

(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accredited by NABL, as per ISO/IEC 17025:2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India
☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com
CIN NO : U74210WB1989PTC047403

ANALYSIS REPORT OF FLUE GAS

Name of Industry		M/s. N. N. ISPAT PVT. LTD.	
Address		Village Diwandighi, P.O. & Mouza - Mirzapur, Palitpur Road, District - Purba Burdwan, West Bengal	
Date of Sampling		08.09.2025	
Time of Sampling		11:00 hrs;	
A.	General Information about stack		
1	Stack connected to	2X8 T & 2x15 T Induction Furnaces	
2	Emission due to	Process emission	
3	Material of Construction of Stack	M.S	
4	Shape of Stack	Circular	
5	Whether Stack is provided with Permanent Platform & Ladders	Permanent	
6	Capacity	2X8 T & 2x15 T Induction Furnaces	
B.	Physical Characteristics of Stack		
1	Height of the stack		
	(a) from Ground Level (m)	30	
	(b) from Roof Level (m)	-	
2	Diameter of the stack		
	(a) at bottom (m)	-	
	(b) at top (m)	2.1	
3	Diameter of the stack at sampling point (m)	2.1	
4	Height of the sampling point from GL (m)	10.5	
C.	Analysis/Characteristics of Stack		
1	Fuel used	Electricity	
2	Fuel consumption	-	
D	Field Study of Stack(s)	Reference Method	Concentration
1	Temperature of emission (°C)	IS 11255 (Part 1)	110
2	Barometric Pressure (mmHg)	-	757
3	Velocity of gas in duct (M/sec)	IS 11255 (Part 3)	9.05
4	Quantity of gas flow (Nm³/hr)	IS 11255 (Part 3)	86269
5	Concentration of CO (% V/V)	IS 13270	-
6	Concentration of CO₂ (% V/V)	IS 13270	2.7
E	Laboratory Test Result(s)		
7	Concentration of SO₂ (mg/Nm³)	IS 11255 (Part 2)	-
8	Concentration of NOx (mg/Nm³)	US EPA, Method 7	-
9	Concentration of PM (mg/Nm³)	IS 11255 (Part 1)	23
10	Concentration of PM (mg/Nm³) at 12% CO₂		-
E	Pollution Control Device		
	Details of pollution control device attached with the stack	Bag Filter	

Note : - Contents of this report are meant for your guidance and should not be used for Advertisement, Evidence or Litigation
- The Physical information about stack details (viz. height, diameter etc.) were provided by respective Industry/Party

For ENVIROTECH EAST (P) LTD.



[Signature]

(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accredited by NABL, as per ISO/IEC 17025:2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India
☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com
CIN NO : U74210WB1989PTC047403

Name of Industry	M/s. N. N. ISPAT PVT. LTD.
Address	Village Diwandighi, P.O. & Mouza - Mirzapur, Palitpur Road, District - Purba Burdwan, West Bengal

Equivalent Noise Level in the Study Area, in dB(A)
Month: April, 2025

SL.NO.	Location	DAY TIME	NIGHT TIME
		Leq- dB (A)	Leq- dB (A)
1	Near Main Gate	65.7	59.2
2	Near Raw Materials Yard	69.3	57.3
3	Near ADM Building	62.6	55.1
4	Near Induction Furnaces	69.1	62.6
5	Rolling mill area	72.9	66.8
6	Slag crusher area	70.7	63.2
7	near truck parking area	67.5	57.4
8	Kamnara Village	54.1	43.5
9	Malkita Village	52.6	44.0

”

For ENVIROTECH EAST (P) LTD.



(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accredited by NABL, as per ISO/IEC 17025:2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India
☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com
CIN NO : U74210WB1989PTC047403

Name of Industry	M/s. N. N. ISPAT PVT. LTD.
Address	Village Diwandighi, P.O. & Mouza - Mirzapur, Palitpur Road, District - Purba Burdwan, West Bengal

Equivalent Noise Level in the Study Area, in dB(A)
Month: September, 2025

SL.NO.	Location	DAY TIME	NIGHT TIME
		Leq- dB (A)	Leq- dB (A)
1	Near Main Gate	64.9	59.0
2	Near Raw Materials Yard	67.3	62.8
3	Near ADM Building	64.4	58.7
4	Near Induction Furnaces	69.9	62.3
5	Rolling mill area	71.5	62.3
6	Slag crusher area	73.1	67.1
7	near truck parking area	68.6	62.3
8	Kamnara Village	53.2	43.5
9	Malkita Village	52.7	44.2

For ENVIROTECH EAST (P) LTD.



(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accredited by NABL, as per ISO/IEC 17025:2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India
☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com
CIN NO : U74210WB1989PTC047403

Name of Industry	M/s. N. N. ISPAT PVT. LTD.
Address	Village Diwandighi, P.O. & Mouza - Mirzapur, Palitpur Road, District - Purba Burdwan, West Bengal

FUGITIVE EMISSION MONITORING RESULTS

Sl. No.	Location Name	Date of Monitoring	Pollutant’s Concentration		
			SPM (µg/m³)	SO ₂ (µg/m³)	NO ₂ (µg/m³)
1	Near Raw Materials Yard	19.04.2025	193	10	24
2	Near ADM Building	19.04.2025	165	11	28
3	Near Induction Furnaces	19.04.2025	186	14	30

For ENVIROTECH EAST (P) LTD.



(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accrediated by NABL, as per ISO/IEC 17025:2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India
☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com
CIN NO : U74210WB1989PTC047403

Name of Industry	M/s. N. N. ISPAT PVT. LTD.
Address	Village Diwandighi, P.O. & Mouza - Mirzapur, Palitpur Road, District - Purba Burdwan, West Bengal

FUGITIVE EMISSION MONITORING RESULTS

Sl. No.	Location Name	Date of Monitoring	Pollutant’s Concentration		
			SPM (µg/m³)	SO ₂ (µg/m³)	NO ₂ (µg/m³)
1	Near Raw Materials Yard	13.09.2025	203	11	27
2	Near ADM Building	13.09.2025	150	9	22
3	Near Induction Furnaces	13.09.2025	174	15	34

For ENVIROTECH EAST (P) LTD.



(Authorized Signatory)

N. N. Ispat Pvt. Ltd.

25, GANESH CHANDRA AVENUE, 4TH FLOOR, KOLKATA - 700 013
Tel - 22217636 / 7636, Fax - 22114667, e-mail : nnispatinfo@nccasting.com
CIN NO. U27109WB2004PTC099963



ANNEXURE-III

Date : 07.04.2015

To
The Pradhan
Saraitikir Gram Panchayat
Burdwan I Panchayat samity
Burdwan
West Bengal

Sub: Information of EC obtained.

Dear Sir,

This is to inform you that we have obtained Environmental Clearance vide No J-11011/280/2012-IA-II-(I) dated 05.02.2015, for expansion of our existing project with Induction Furnaces, Rolling Mill and other units.

We are enclosing herewith a copy of the same.

Thanking You

Yours Truly

For N.N.Ispat Pvt. Ltd

Authorised Signatory



07.04.2015

N.N. Ispat Pvt. Ltd.

Regd office : 25, Ganesh Chandra Avenue, 4th Floor, Kolkata - 700 013
Tel : +91 33 2221 7535 / 7536, Fax : +91 33 2211 4567
E-mail : nnispatinfo@aiccasting.com , info@ultramaxtmt.com
Web : www.ultramaxtmt.com
Factory : Diwandighi, Palitpur Road, Purba Bardhaman - 713102, West Bengal
CIN No.: U27109WB2004PTC099963

Date: 13.07.2023

To
Kamnara Block Office
Burdwan
West Bengal

Sub: Information of EC obtained.

Dear Sir,


This is to inform you that we have obtained Environmental Clearance vide No J-11011/280/2012-IA-II-(I) dated 05.05.2015, for expansion of our existing project with Induction Furnaces, Rolling Mill and other units.

We are enclosing herewith a copy of the same.

Thanking You

Yours Truly

For N.N.Ispat Pvt. Ltd


Authorised Signatory
Road Dewandighi



FORM – V
(See rule 14)
ENVIRONMENTAL STATEMENT
FOR THE FINANCIAL YEAR ENDING THE 31ST MARCH 2025

PART- A		
1.	Name & address of the owner/occupier of the industry, operation or process.	M/s N N Ispat Pvt. Ltd. Shri Dinesh Adukia (Director) Address: 25, Ganesh Chandra Avenue, 4 th Floor, Kolkata-700 013, West Bengal
2.	Industry category Primary (STC Code), Secondary (SIC Code)	RED, Large Scale Metallurgical Industries (Ferrous & Non-ferrous)
3.	Production Capacity – Units	The unit Configuration & current Production capacity (as per valid CTO) is presented below, 1. Induction Furnaces (2x8 T + 2x15 T): 1,38,000 TPA Billets 2. Rolling Mill: 1,20,000 TPA Structural Steels (Angels, Channels, TMT etc.)
4.	Year of establishment	
5.	Date of last environmental statement submitted	-

PART – B WATER & RAW MATERIAL CONSUMPTION		
1. Water Consumption m³/day process		
Process & Cooling	32 m ³ /day	
Domestic	10 m ³ /day	
	Process Water consumption per unit of product output	
Name of Products	During the previous financial year (2023-2024)	During the current financial year (2024-2025)
Billets	0.30 m ³ /T Billet	0.03 m ³ /T Billet
Structural Steels (Angels, Channels, TMT etc.)	0.108 m ³ /T	0.05 m ³ /T

For N. N. Ispat Pvt. Ltd.


Director

2. Raw Material Consumption			
Name of Raw Materials	Name of Products	Consumption of Raw material per unit of out put	
		During the previous financial year (2023-2024)	During the current financial year (2024-25)
1) Sponge Iron	Billets	1.160 T/T	1.165 T/T
2) Pig Iron /Scrap		0.470 T/T	0.477 T/T
3) Ferro Alloys		0.015 T/T	0.015 T/T
1) In house Billets	Structural Steel, TMT Bars, Angles, Channels, Wire Rod	1.15 T/T	1.17 T/T

PART – C				
Pollution discharged to environment/unit of output (Parameters as specified in the consent issued)				
S. N.	Pollutants	Quantity of pollutants discharged (Kg/day)	Concentrations of pollutants in discharges (mg/Nm ³)	Percentage of variation from prescribed standards with reason
a.	Water (Domestic Effluent)	8.0 KLD through Septic Tank - Soak Pit system	-	No variation
b	Air	PM <30 mg/Nm ³	-	No variation

PART – D			
HAZARDOUS WASTE [as specified under Hazardous Wastes (Management & Handling) Rules 1989]			
Hazardous Wastes		Total Quantity (in Kg)	
		During the previous Financial year	During the current Financial year
a.	From Process	No Hazardous waste produced.	No Hazardous waste produced.
b.	From Pollution Control Facilities	Nil	Nil

For N. N. Ispat Pvt. Ltd.



Director


PART – E SOLID WASTES			
Solid Wastes		Total Quantity	
		During the previous Financial year (April, 2023 to March, 2024)	During the current Financial year (April, 2024 to March, 2025)
a.	From process	➤ Slag from Induction Furnaces - 4240 TPA	➤ Slag from Induction Furnaces - 4350 TPA
b.	From pollution control facility	NA	NA
c.	1. Quantity recycled or re-utilised within the unit 2. Sold 3. Disposed	➤ Slag from Induction Furnaces is being used in Land filling / Road making purposes.	➤ Slag from Induction Furnaces is being used in Land filling / Road making purposes.

PART – F	
Please specify the characteristics (in terms of concentration and quantum) of Hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.	
The solid waste which are generated from various sources mainly slag from Induction 4 Furnaces slags, belongs in the group of non hazardous category.	

PART – G	
Impact of pollution abatement measures on conservation of natural resources and on the cost of production	
<ol style="list-style-type: none"> 1. There are 4 nos. hood & common stacks attached with Induction Furnaces for continuous emission of PM only. 2. To reduce dust emissions, Bag Filters has been used with the stacks. 3. Diesel Generator sets (1x600 KVA + 1x62 KVA) is being used during the power failure. 4. Under "Zero discharge" concept no industrial effluent discharge outside the plant premises. Treated industrial waste water is being used in the plant premises. Domestic waste water is being treated through Septic Tank - Soak Pit system. 5. To reduce the use of conventional source of energy for conservation of natural resources, the Company has taken several measures. 	

PART – H	
Additional measures / investment proposal for environmental protection including abatement of pollution, prevention of pollution	
PART – I	
Any other particulars for improving the quality of environment.	
<ol style="list-style-type: none"> 1. There is water spray arrangement to control fugitive emissions. 2. Bag Filters is provided with the stacks with desired capacity. 3. The company has developed green belt within the plant area. 4. World environment day is celebrated to promote awareness of environment issues. 	

For N. N. Ispat Pvt. Ltd.



Director

ঠিকানা

পৈনিক স্টেটসম্যান
কলকাতা
স্টেটসম্যান হাউস
৪ টোরবী কোমার, কলকাতা-৭০০০০১
ফোন: (০৩৩) ২২১২-৭০৭০-৭৬
ফ্যাক্স: (০৩৩) ২২১২-৬১৮১/১৪৭৩
ইমেইল: thestatesman@vsnl.com
johnbulfinch@yahoo.com
(Advt. Department)
সিনিয়র
স্টেটসম্যান হাউস
১৪৮, বাসখায়া-রোড, নিউ দিল্লি-১১০০০১
ফোন: (০১১) ২৩৩১-৫২১১
ফ্যাক্স: (০১১) ২৩৩১-৫২১৫
ইমেইল: delhistatesman@gmail.com
১১০১, আই.এ.এস. বিল্ডিং (চতুর্থ তল)
রাজি মার্গ, নিউ দিল্লি-১১০০০১
ফোন: (০১১) ২৩৭১-৮৪৩৪
ইশান হাউস (১ তল) ৫-৩০, সেক্টর টি,
নয়ডা, ইউ পি-২০১০০১
ফোন: (০১২০) ৯১২০-৩০৫২১১
ফ্যাক্স: (০১২০) ৯১২০-৫৪৭২১৬
ডুবলেশ্বর
৪০৩ এ, জোন-বি, সেক্টর-এ, মজেন্দার
ইন্ডাস্ট্রিয়াল এস্টেট, ডুবলেশ্বর-৭৫১০১০
ফোন: (০৬৭৪) ২৪৮৮০৬০/৬১/৬২,
২৪৮৮০৬১
ফ্যাক্স: (০৬৭৪) ২৪৮৮০৬১
ইমেইল: statesmanbbs@vsnl.net
শিল্পী
৪০৩ এ, দাবমাম ইন্ডাস্ট্রিয়াল গ্রোথ
সেক্টর। পো. অফিস - ফুলবাড়ি,
জোলা-জলপাইগুড়ি, শিলিগুড়ি-৭৩৪২১৮
পশ্চিমবঙ্গ, ফোন: (০৩৫৩) ২৫৬৮০৬০/
৬৩১৫/২৭৭৮/৬৬৬৮
ফ্যাক্স: (০৩৫৩) ২৫৬৮২১৬
ইমেইল: kkc099@gmail.com
রাজি
৪০৩১ সি রোড#১, অশোকবাবর,
শিলিগুড়ি - ৮৩৪০০২
টেলিফোন: (০৩৫১) ২২৪ ৭০৫৪
ফোন: ০৩৫০১১৭৪২
ইমেইল: binodenarayangsingh@yahoo.co.in
প্রজ্ঞা
২/২, বাটলার প্যালেস (জুপিটর রোডের
দিক), লক্কা-২২৬০০১
ফোন: (২৫২২) ২২০ ৬৭০৫
টেলিফোন: ০২৫২২ ২২০৬৭০

thestatesman.hyd@gmail.com
বেঙ্গলুরু
৪০০১, হাই পের্ট ফোর, ৪৫, প্যালেস
রোড, বেঙ্গলুরু - ৫৬০০০১
ফোন: (০৮০) ২২২৪০১২২, ২২২০৪৮১৩
ফ্যাক্স: (০৮০) ২২২০, ৪৮১৩
ইমেইল: bharathf@gmail.com
হেনাই
সাতন ম্যানসন, ৫ম তল, ২৬, ইন্ডিয়া রোড,
চেন্নাই-৬০০১০৫
ফোন: (০৪৪) ২৮২৭৮০৩৭/৯৯৮৪
ফ্যাক্স: (০৪৪) ২৮২৮৮০০
ইমেইল: statesmanchennai@yahoo.co.in
প্রসন্ন
বি. বামুনী ভট্টাচার্য, ড. তালিী বোস,
কমার্শিয়াল কমপ্লেক্স, তৃতীয় তল, মল্লিপাট,
চারিয়ারি, শোহাট-৭৮১ ০০১
ফোন: ০২৪৩৫০১৭৯০৪
ইমেইল: fbhatta@gmail.com
বিহার
বি. আর. কে. ডার্মি, ফ্লাট নং-৪০৩,
৫ম তল, বি. এন. অ্যাপার্টমেন্ট, (রোডের নগর
উত্তরবঙ্গ), পোষ্ট- দোহিয়া নগর, কলকাতা,
পাটনা - ৮০০ ০২০
ফোন: (০৬১২) ২০৬ ৪২০২
মোবাইল: ০৯৪৩১০ ৪৪৪৫২
ইমেইল: rkv_statesman@sify.com
হরিশঙ্কর
বি. মণীশ সাহুজা, ৫০, শহীদ য়ারক কমপ্লেক্স,
বম্বে মার্কেট, সি. ই. রোড, মায়পুর-৪২২০০১
মোবাইল: ০৯৪২৫২ ০২০৮৭
ইমেইল: manish_sahuja@yahoo.com
হরিশঙ্কর
মিস রায়না দেশাই, ৩১০, শান কমপ্লেক্স (এম
জে শহীদেয়ার বিপারিতে - সাকার ৪-এর
পাশে), এলিথ রিজ, আমেরাবাব-৩৬০০০৬
ফোন: ০৭৯-২৬৫৭১১৫/০৯৮২৪০২২২৩৬
ইমেইল: reyna.desai@gmail.com
মাদ্রাস
শ্রীমতী এস. এম. বিসডি
১০৭ ডি, মাদ্রাসা ফেডার অ্যাপার্টমেন্ট, মাদ্রাসা
নগর কোয়ার্টার (দীক্ষা ভূমির নিকট)
মাদ্রাস - ৪৪০ ০১০
ফোন: ৯৮২২২ ০২০৬২, ০৭১২-২২২০১৮৬
টেলিফোন: ০৭১২-২২২০৩৯৬
পুণে
বি. নরেশ্ব পি. শিভে, ভার্গভ অ্যাপার্টমেন্ট,
এফ-৪, ৩য় তল, ৪৪৩-বি, শানিওয়ার পোষ্ট,

শ্রেণিবদ্ধ

পাবলিক নোটিশ

AN ENVELOPE containing counter-foil of utilized Way Bill No. A9804006 was lost near Kalamandir on Theatre Road on 24th November, 2014. Anybody who may have found it is requested to contact Sigma-C Infrastructure Pvt. Ltd. at 52A, Shakespeare Sarani, Kolkata-17 over Phone 40006231 or 09330313560.

(৪০৭৪৩)

নোটিশ

এতদ্বারা সকলকে অবগত করা যাইতেছে যে, ভারত সরকারের পরিবেশ, বন ও জলবায়ু মন্ত্রণালয় তার পত্র নং J-11011/280/2012-1A II(I), তারিখ 5 ফেব্রুয়ারি, ২০১৫ দ্বারা মেশার্স এন. এন. ইম্পাত প্রাইভেট লিমিটেডকে ইনডাকসান কর্পোরেশন প্রসারণ, ফেরোগলোয়েস কাউন্টি ও রোলিং মিল স্থাপনের পরিবেশগত ছাড়পত্র-দিয়েছে। উক্ত ছাড়পত্রের প্রতিলিপি পশ্চিমবঙ্গ রাজ্য দূষণ নিয়ন্ত্রণ পর্ষদ কলিকাতা কার্যালয়ে পাওয়া যাইবে, ইহা, ভারত সরকারের পরিবেশ, বন ও জলবায়ু মন্ত্রণালয়ের ওয়েবসাইটে (<http://envfo.nic.in>) দেখা যাইতে পারে।

এন. এন. ইম্পাত প্রা. লি.
দিওয়ানদিবি, পালিতপুর রোড
বর্ধমান, পশ্চিমবঙ্গ
(০৭৪২)

টেডার নোটিশ

OFFICE of the Councillors of Joynagar Mozipur Municipality
P.O. - Joynagar Mozipur, Dist. - South 24 Pgs.
E-bids are invited by the Chairperson - J.M.M. for the

পুরুলিয়ার ভাঙাচোরা রাস্তা চলাচলের অযোগ্য

নিজস্ব সংবাদদাতা, পুরুলিয়া, ২২ ফেব্রুয়ারি-
জরদখলের দাপটে শুধু পুরুলিয়া শহরের নিকশি
ব্যবস্থা লাটে গুঠেনি রাস্তাঘাটও বেহাত হয়ে যাচ্ছে।
এক সময় যে পুরুলিয়া শহরে কোনও দিনও
যানজটের কথা ভাবাই যেত না সেখানে এখন
যানজট নিত্য দিনের ঘটনা। ভোগান্তি হচ্ছে সাধারণ
মানুষের। এমনভেই দীর্ঘদিন মোরামতের অভাবে
পুর এলাকার বড় বড় রাস্তা সহ শহরের অলিগলি
বেহাল। বহু দিন ধরে পুরুলিয়া শহরের প্রধান প্রধান
রাস্তার ওপর চাপ কমাতে প্রশাসনিকভাবে
আলোচনা চলছে। আজও সে কাজে কোনও
অগ্রগতি হয়নি। শহরের যে কটি প্রধান রাস্তা ভাল
আছে সেগুলিও জরদখলের কবলে। ফুটপাথ
বলে আর অবশিষ্ট কিছু নেই। সবই দখল হয়ে
গেছে। পোকান থেকে পাটি অফিস কি নেই সব
পাকা রাস্তার ধার জুড়ে। পুরুলিয়া স্টেশন যাওয়ার
পাকা রাস্তা যেন গলি পথ। সেই পথ দিয়েই

যেঁধাযেঁধি করে দৌড়াচ্ছে মানুষ সহ নানা ধরনের
গাড়ি। তৃণমূল পরিচালিত বর্তমান পুরসভার
দৌলতে সবই দখল হয়ে গেছে। শহরের প্রধান
রাস্তাজুড়ে থাকে রিক্সা, সাইকেল, বাইক ও মানুষের
স্রোত। ফলে যানবাহন চলাচলের জন্য রাস্তাই
অবশিষ্ট থাকে না। দিনের ব্যস্ততম সময়ে যানজট
অব্যাহত। শহরের ওয়ার্ডগুলির ভিতরের রাস্তা
বলে যদি কাগজে কলমে কিছু থেকে থাকে তা
সহজে কেউ খুঁজে পাবে না। শহরের রাস্তাগুলি
একবার সারাই হলে ইমাস পরে তার হাড় ককাল
বেরিয়ে যায়। তারপর বৃষ্টিতে ভাঙাচোরা রাস্তা
আরও খারাপ হয়েছে। বহু পুরনো পুরুলিয়া
পুরসভা। নির্দিষ্ট সময় অন্তর বোর্ড পাল্টেছে।
অনেকেই পুরপ্রধান হয়েছেন পুরসভার দখলে
সিপিএম থেকে কংগ্রেস, বর্তমানে তৃণমূল কংগ্রেস
। কিন্তু সবাইই প্রায় কাজের ধরণ একই। বলা
বাছ্যা বর্তমান পুরবোর্ডের উদাসিন্য একটু বেশিই

অস্বাভাবিক ঠেকেছে শহরবাসীর কা
চেয়ারম্যান সিপিএমের বিনায়ক ভাট্টা
পুরসভার প্রধান রাস্তাগুলিতে ভারি মাল
চাপ-মেওয়ার ক্ষমতা নেই। সেভা বেও
হয় না। ফলে রাস্তা সারানো হলেও
টেকে না। বর্তমান পুর কর্তৃপক্ষ
ইঞ্জিনিয়ারদের সঙ্গে পরামর্শ করে ব্যা
দিয়ে রাস্তা করা। যদিও কোনও রাস্তা
দ্বারা রক্ষাবেক্ষণ ও মোরামতির হয়
অনেকের মত। সামনেই পুরভোট, *
কিছু রাস্তা যেনতেন প্রকারে পালিশ
হচ্ছে। কিন্তু যে সমস্ত নিম্ন মানের
রাস্তা তৈরি হচ্ছে সেটাকে দিনে ডাব
অনেকের মত। পুরভোটের পরই ওই
ককাল বেরিয়ে পড়বে বলেও অনেকে
তবে অনেকেই মনে করছেন, নতুন রাস্তা
ভোট পাওয়ার জন্য।



Classified

EDUCATIONAL

UNIVERSITY OF CALCUTTA
Advertisement No.
Est/JAdvt/2858/2015
Dated : 18/02/2015

Applications are invited in plain paper for the Babu Jagjivan Ram Visiting Professor. For details Please Visit University web-site : www.caluniv.ac.in

Sd/-
Registrar

LEGAL NOTICES

NOTICE
F.A. 1126 of 2014
Debashis Brahma;
...Appellant
Vs-
Pabitra Dam & Remac
India
...Respondents

To
The Manager, Remac
India, Remac India House,
41A, S.P. Mukherjee Road,
Kolkata-26.
The above matter is fixed
for hearing on 20.3.2015
before the State Consumer
Disputes Redressal
Commission, W.B. at 10.30
am. Please take necessary
steps in this regard.

Malabika Roy Dey
Advocate for Appellant
00031689

LOST & FOUND

VELOPE containing
all of utilized Way
604006 was lost
and/or on Theatre
with November,
any who may
is requested
Sigma-C
Pvt. Ltd. at
are Sarani,
over phone
913560.

Barishalpara. P.O. -
Narayenpur, Dist-24 Pgs.
(N) is being known as Raj
Ghosh in lieu of Haradhan
Ghosh, vide affidavit sworn
before the Hon'ble 1st Class
Magistrate, Barrackpore
Court on 02.07.2003.
CL00031629

I, JAYDEB Dey of Purbasa,
P.O. & P.S.: Barasat, Pin-
700124, declare that Jaydeb
Kumar Dey henceforth be
known as Jaydeb Dey, vide
affidavit sworn before the
1st Class Judicial
Magistrate at Barasat on
16.2.2015.
CL00031677

PUBLIC NOTIFICATIONS

NOTICE
My client Sri Amal Kanti
Dutta, S/o. late Nani Gopal
Dutta, Nabannagar, Dulliya,
Sankrail, Howrah-711302

has lost his original sale
Deed No. I-3132 of 1989, Dtd.
- 18.08.89 duly registered
with the Office of the
District Registrar at Howrah
in respect of the property of
Mouza - Dulliya (JL No. 35),
P.S. - Sankrail, Khatian No.
970 (Old), 196/1 (New), Dag
No. 1205, 1205/1808 of 1261
and 1262 totally 3 cottahs
along with G+1 building
from his custody.
Accordingly a GDE No.
481/15, Dtd. - 14.02.15 has
been lodged by him at the
Nazirgunj IC, PS - Sankrail,
Howrah. He already intend-
ed to sell out the above
property to Samrat
Chatterjee. If anybody finds
the same or has any claim
and/or objection in connec-
tion to the said matter, such
objection in writing may be
lodged within 15 days from
this day with full particu-
lars. Thereafter no claim,
objection shall be enter-
tained and the matter shall

be settled according to law.
Subhas Ranjan Chakravorty
Advocate
Prabashini Bhavan
Jhorehat, Nakata Bagan
Andul, Howrah-711302
CL00031674

NOTICE
This is to inform all the
concerned that the Ministry
of Environment, Forests and
Climate Change, Govt. of
India, vide its Letter No.-J-
11011 / 280 / 2012-IA II (I),
dated 5th February, 2015
has accorded
Environmental Clearance
for expansion of Induction
Furnace and installation of
Ferro Alloys Plant, Foundry
& Rolling Mill at Vill.:
Dewandighi, Palitpur Road,
Burdwan, West Bengal by
N.N. Ispat Pvt. Ltd. The copy
of Environmental Clearance
is available with the Office
of West Bengal Pollution
Control Board, Kolkata and
may also be seen at the
website of The Ministry of

Environment, Forests and
Climate Change, at
<http://envfor.nic.in>
N.N. Ispat Pvt. Ltd.
25, Ganesh Chandra
Avenue, 4th Floor
Kolkata-700013
West Bengal
CL00031675

TENDERS

MSTC LIMITED
(A Govt. of India Enterprise)
Eastern Regional Office
225F, A. J. C. Bose Road (3rd
Floor), Kolkata-20
Tel.: (00-91-33) 2281-2877 /
2289-6048 / 1403
Fax: (00-91-33) 2287-4915
Website:
www.mstcindia.co.in
MSTC will conduct E-
Auction(s) on behalf of
MSTC / ERO / 5 FIELD OR-
DNANCE DEPOT / 24/ SFOD
14-15/15193 and MSTC/
ERO / 5 FIELD ORDNANCE
DEPOT / 24 / SFOD / 14-15 /

15193 on 26.02.2015. For
details please visit:
www.mstcecommerce.com
or www.mstcindia.co.in
CL00031696

**OFFICE of the Councillors
of Joynagar Mozipur
Municipality,**
P.O.-Joynagar-Mozilpur,
Dist.-South 24 Pgs.

E-bids are invited by the
Chairperson - J.M.M. for the
water supply scheme within
J.M.M. under UIDSMT pro-
gramme.

Sl. No.: (1).
Name of the work: Laying
of clear water rising main
for the proposed water sup-
ply scheme at Zone-A within
Joynagar Mozipur
Municipality under
UIDSMT Programme.

Bid No.: WBMAD / ULB /
JOYNAGAR-MOZIPUR / 21 /
UIDSMT / 2014-15.

Documents : download
starting date: 19.02.15 at
4.00 p.m.

Bid submission starting
date: 19.02.15 at 4.00 p.m.

Bid submission closing
date: 26.02.15 at 2.00 p.m.

Details may be seen in the
website: <https://wb.tenders.gov.in>

Chairperson
Joynagar Mozipur
Municipality
CL00031670

MOTHER DAIRY CALCUTTA
P.O.-Dankuni Coal Complex
Dist.-Hooghly (W.B.)
Pin-712310

**PUR/TENDER-169/
CSM/MCU/SM**
18.02.15

Mother Dairy Calcutta
invites tender offer for
"Servicing and mainte-
nance of Milk Chilling units
of our Mini Dairies located
at Kolkata, 24 Parganas
(N&S) and Howrah /
Hooghly Zone". Please visit:
www.wbtenders.gov.in &
www.motherdairyincalcutta.com
for details. Offer may
be uploaded up to 2 p.m. on
09.03.15.

Chief General Manager
CL00031679

**BIDHAN CHANDRA KRISHI
VISWAVIDYALAYA**
Mohanpur, Nadia-741252

Please go through the
BCKV website: www.bckv.edu.in
for details regarding
submission of tender for
AAS.

CL00031682

**JADAVPUR
UNIVERSITY**
Kolkata-700032

For details please visit:
www.jadavpuruniversity.ac.in

CL00031682

**JADAVPUR
UNIVERSITY**
Kolkata-700032

For details please visit:
www.jadavpuruniversity.ac.in

CL00031682

The Statesman

KOLKATA

Statesman House,
4, Chowringhee Square
Kolkata-700 001
Tel: (033) 22127070-76,
(033) 71071700
Fax: (033) 2212-6181 /
7107-1780
Email:
thestatesman@vsnl.com
johnbullsilver@yahoo.com

DELHI

Statesman House,
148, Barakhamba Road,
New Delhi-110 001
Tel: (011) 2331 5911
Fax: (011) 2331 5295
Email: sman@nde.vsnl.net.in,
delhistatesman@gmail.com
3/10, INS Building
(3rd floor) Rafi Marg,
New Delhi-110 001,
Tel: (011) 2371 8434
Email:
shivajisamaddar@gmail.com
Ishan House (2nd floor)
A-90, Sector II NOIDA,
Haryana 201 301

Siliguri-734015

Tel: 2568615, 2568063 and
2568787. Fax: (0353) 2568296.
Email:
sil_statesman@yahoo.co.in /
kkc099@gmail.com

BHUBANESWAR

Plot 3A, Zone B, Sector A,
Mancheswar Industrial Estate,
Bhubaneswar-
751 010. Tel: (0674)
2588060/61/62/2586371,
Telefax: 0674-2588061
Email:
statesmanbbsr@gmail.com

BHOPAL

Mr. Yogesh Kumar
D-Sector-294, Nehru Nagar,
Kota, Bhopal. (M): 9424242664

HYDERABAD

The Statesman Limited, 2nd
Floor, UNI Building, A.C.
Guards, Hyderabad-500004,
Ph.: 040-2339 1739
Email:
thestatesman.hyd@gmail.com

MUMBAI

5, Kasturi Buildings Jamshedji
Tata Road, Mumbai-400 020
Tel: (022) 2202 1045, 2202 1394,
Fax: 2204 4877
Email: thestatesman.mumbai@gmail.com

CHENNAI

Fagun Mansion (4th floor) 26,
Ethirai Road, Chennai-600 008,
Tel: (044) 28278037, 28279984
Fax: 28224800
Email: statesman@eth.net
patgd65@gmail.com

LUCKNOW

2/2, Butler Palace (Near Jopling
Road), Lucknow-226 001,
Ph.: (0522) 2206705, 9415920949
Email:
soumenbose1975@gmail.com
bose.soumen@rediffmail.com

RAIPUR

Mr. Manish Saluja 53, Sahid
Samarak Complex Bombay
Market, G.E. Road,
Raipur 492001.
Tel.: 5035985, (M): 9425202097

Munda slams Upp for criticising gov

PRESS TRUST OF INDIA
Jamshedpur, 22 February

Former Jharkhand Chief
Minister Arjun Munda today
pulled up the opposition par-
ties for criticising the per-
formance of Raghuvar Das-
led BJP government in the
state without allowing it
time to discharge responsi-
bilities.

"It is inappropriate to com-
ment on the performance of
the state government which
is proceeding in the right
direction," Munda told news-
men after taking part in a func-
tion organised to mark the 15th
anniversary of a Hindi mag-
azine "Rastra Samvad", here.
The Opposition should

allow some time
new government
before they start
on its perform-
ance.

To a query a
prospective in the cor-
bly poll in Bihar
thumping victory
Kejriwal-headed
Party, Munda said
try like India the
a state would have
on other state win-
ning confidence
much better.

Appreciating
Samvad for living
tation for so long
leader said Hindi
been facing lot of
and challenges.

EXACT CHANGE CO

DMRC's meet coin

PRESS TRUST OF INDIA
New Delhi, 22 February

Faced with the issue of
shortage of coins, Delhi
Metro today set up an
"exact change counters"
across 20 busiest stations
on its network to curtail
queuing or waiting time
for passengers.

At these counters, only
those passengers who ten-
der exact change can buy
tokens. "This will avoid
any queuing or waiting
time for passengers as
they won't have to wait
for return change after
buying the tokens," a



faces a demand
approximately
coins per day (1
and 5 denominations).
However, only
4.5 lakh (Rs) coins
made available
stations on the
which creates
between demand
and supply.

CAAQMS_ENE01843_01_Dec_25_AAQ_DATA

Date Time	PM 2.5	PM 10	SOx	NOx
	ug/m3	ug/m3	PPM	PPM
2025-11-15 22:30:14	35.000	46.000	0.250	2.980
2025-11-15 22:28:14	40.000	47.000	0.270	2.950
2025-11-15 22:26:13	41.000	47.000	0.230	3.000
2025-11-15 22:24:13	40.000	42.000	0.330	3.040
2025-11-15 22:22:13	41.000	45.000	0.300	3.040
2025-11-15 22:20:13	39.000	55.000	0.240	3.030
2025-11-15 22:18:12	40.000	43.000	0.380	2.950
2025-11-15 22:16:12	36.000	50.000	0.200	2.940
2025-11-15 22:14:11	39.000	45.000	0.380	3.120
2025-11-15 22:12:11	40.000	54.000	0.240	3.100
2025-11-15 22:10:11	40.000	56.000	0.310	3.070
2025-11-15 22:08:11	39.000	48.000	0.240	3.040
2025-11-15 22:06:10	36.000	56.000	0.280	2.950
2025-11-15 22:04:10	41.000	49.000	0.390	3.010
2025-11-15 22:02:10	35.000	44.000	0.370	2.950
2025-11-15 22:00:10	39.000	49.000	0.200	3.020
2025-11-15 21:58:10	38.000	53.000	0.240	3.050
2025-11-15 21:56:10	35.000	55.000	0.340	3.020
2025-11-15 21:54:09	38.000	50.000	0.350	2.990
2025-11-15 21:52:09	35.000	42.000	0.200	3.050
2025-11-15 21:50:09	35.000	45.000	0.270	3.070
2025-11-15 21:48:09	36.000	54.000	0.310	2.970
2025-11-15 21:46:09	39.000	47.000	0.350	3.120
2025-11-15 21:44:09	38.000	52.000	0.390	3.010
2025-11-15 21:42:09	41.000	44.000	0.300	3.040
2025-11-15 21:40:06	41.000	44.000	0.300	3.040
2025-11-15 21:38:06	39.000	53.000	0.320	3.060
2025-11-15 21:36:06	36.000	51.000	0.340	3.100

2025-11-14 23:16:05	35.000	44.000	0.300	3.120
2025-11-14 23:14:05	36.000	45.000	0.380	2.930
2025-11-14 23:12:08	37.000	43.000	0.340	3.100
2025-11-14 23:10:05	39.000	52.000	0.250	2.940
2025-11-14 23:08:04	35.000	48.000	0.310	3.090
2025-11-14 23:06:04	41.000	54.000	0.270	2.970
2025-11-14 23:04:04	41.000	56.000	0.390	2.990
2025-11-14 23:02:04	39.000	42.000	0.310	3.120
2025-11-14 23:00:06	36.000	56.000	0.210	3.070
2025-11-14 22:58:03	38.000	45.000	0.370	2.990
2025-11-14 22:56:03	35.000	50.000	0.290	2.930
2025-11-14 22:54:03	41.000	51.000	0.380	3.060
2025-11-14 22:52:02	41.000	51.000	0.290	2.940
2025-11-14 22:50:02	40.000	45.000	0.290	3.060
2025-11-14 22:48:02	35.000	45.000	0.200	3.060
2025-11-14 22:45:59	35.000	45.000	0.200	3.060
2025-11-14 22:43:57	35.000	45.000	0.200	3.060
2025-11-14 22:41:55	35.000	45.000	0.200	3.060
2025-11-14 22:39:54	35.000	45.000	0.200	3.060
2025-11-14 22:37:53	40.000	50.000	0.250	2.970
2025-11-14 22:35:58	36.000	43.000	0.300	3.020
2025-11-14 22:33:53	38.000	44.000	0.390	3.040
2025-11-14 22:31:55	40.000	45.000	0.210	3.090
2025-11-14 22:29:52	39.000	55.000	0.240	2.920
2025-11-14 22:27:52	37.000	50.000	0.340	3.020
2025-11-14 22:25:52	40.000	46.000	0.340	2.960
2025-11-14 22:23:52	40.000	55.000	0.240	3.020
2025-11-14 22:21:52	38.000	44.000	0.250	3.090
2025-11-14 22:19:50	39.000	53.000	0.320	3.060
2025-11-14 22:17:50	36.000	51.000	0.340	3.100
2025-11-14 22:15:50	35.000	43.000	0.310	3.020
2025-11-14 22:13:50	40.000	47.000	0.330	3.000
2025-11-14 22:11:50	35.000	50.000	0.370	3.110

2025-11-12 03:37:09	35.000	42.000	0.200	3.050
2025-11-12 03:35:09	37.000	50.000	0.250	2.920
2025-11-12 03:33:09	36.000	54.000	0.310	2.970
2025-11-12 03:31:09	38.000	49.000	0.280	3.060
2025-11-12 03:29:09	38.000	52.000	0.390	3.010
2025-11-12 03:27:09	37.000	46.000	0.370	2.990
2025-11-12 03:25:08	35.000	42.000	0.280	3.030
2025-11-12 03:23:08	38.000	55.000	0.260	3.090
2025-11-12 03:21:07	36.000	50.000	0.300	2.990
2025-11-12 03:19:07	39.000	42.000	0.300	2.920
2025-11-12 03:17:07	39.000	47.000	0.220	2.920
2025-11-12 03:15:07	39.000	52.000	0.330	2.930
2025-11-12 03:13:07	41.000	44.000	0.300	3.040
2025-11-12 03:11:06	41.000	56.000	0.270	2.950
2025-11-12 03:09:06	36.000	52.000	0.350	3.070
2025-11-12 03:07:06	39.000	46.000	0.380	3.110
2025-11-12 03:05:06	41.000	46.000	0.290	2.970
2025-11-12 03:03:06	40.000	43.000	0.350	3.070
2025-11-12 03:01:06	40.000	52.000	0.350	3.100
2025-11-12 02:59:06	40.000	43.000	0.220	3.020
2025-11-12 02:57:05	35.000	49.000	0.330	2.920
2025-11-12 02:55:05	40.000	49.000	0.390	3.090
2025-11-12 02:53:05	36.000	51.000	0.370	2.980
2025-11-12 02:51:05	38.000	54.000	0.380	3.010
2025-11-12 02:49:05	40.000	42.000	0.300	2.960
2025-11-12 02:47:05	39.000	44.000	0.380	2.980
2025-11-12 02:45:06	35.000	48.000	0.320	3.000
2025-11-12 02:43:04	36.000	42.000	0.310	2.940
2025-11-12 02:41:04	37.000	51.000	0.210	2.970
2025-11-12 02:39:07	37.000	43.000	0.370	3.060
2025-11-12 02:37:04	41.000	47.000	0.370	3.080
2025-11-12 02:35:04	36.000	55.000	0.210	2.950
2025-11-12 02:33:04	38.000	42.000	0.360	3.010

2025-11-11 17:42:12	37.000	53.000	0.230	3.060
2025-11-11 17:40:12	38.000	49.000	0.230	2.920
2025-11-11 17:38:12	37.000	56.000	0.200	3.030
2025-11-11 17:36:12	35.000	52.000	0.330	3.090
2025-11-11 17:34:12	38.000	45.000	0.310	3.080
2025-11-11 17:32:11	36.000	43.000	0.260	3.070
2025-11-11 17:30:11	40.000	50.000	0.250	2.970
2025-11-11 17:28:11	39.000	53.000	0.320	3.060
2025-11-11 17:26:11	37.000	42.000	0.320	3.120
2025-11-11 17:24:10	35.000	43.000	0.310	3.020
2025-11-11 17:22:10	39.000	49.000	0.300	3.070
2025-11-11 17:20:10	35.000	50.000	0.370	3.110
2025-11-11 17:18:10	38.000	54.000	0.370	2.920
2025-11-11 17:16:09	41.000	52.000	0.320	2.980
2025-11-11 17:14:09	38.000	48.000	0.280	3.000
2025-11-11 17:12:09	35.000	49.000	0.330	3.120
2025-11-11 17:10:09	41.000	48.000	0.390	2.940
2025-11-11 17:08:09	40.000	47.000	0.270	2.950
2025-11-11 17:06:09	35.000	44.000	0.300	3.120
2025-11-11 17:04:09	40.000	42.000	0.330	3.040
2025-11-11 17:02:08	37.000	43.000	0.340	3.100
2025-11-11 17:00:08	39.000	55.000	0.240	3.030
2025-11-11 16:58:09	35.000	48.000	0.310	3.090
2025-11-11 16:56:08	36.000	50.000	0.200	2.940
2025-11-11 16:54:08	38.000	53.000	0.240	3.050
2025-11-11 16:52:07	39.000	42.000	0.310	3.120
2025-11-11 16:50:07	38.000	50.000	0.350	2.990
2025-11-11 16:48:07	38.000	45.000	0.370	2.990
2025-11-11 16:46:07	35.000	45.000	0.270	3.070
2025-11-11 16:44:07	41.000	51.000	0.380	3.060
2025-11-11 16:42:07	39.000	47.000	0.350	3.120
2025-11-11 16:40:06	40.000	45.000	0.290	3.060
2025-11-11 16:38:06	37.000	46.000	0.370	2.990

2025-11-08 08:18:09	39.000	55.000	0.240	2.920
2025-11-08 08:16:09	37.000	50.000	0.340	3.020
2025-11-08 08:14:09	40.000	46.000	0.340	2.960
2025-11-08 08:12:09	40.000	55.000	0.240	3.020
2025-11-08 08:10:09	38.000	44.000	0.250	3.090
2025-11-08 08:08:09	36.000	46.000	0.390	3.030
2025-11-08 08:06:08	36.000	51.000	0.340	3.100
2025-11-08 08:04:08	37.000	47.000	0.360	3.120
2025-11-08 08:02:08	40.000	47.000	0.330	3.000
2025-11-08 08:00:08	41.000	46.000	0.270	3.060
2025-11-08 07:58:07	35.000	47.000	0.240	3.070
2025-11-08 07:56:07	38.000	44.000	0.360	3.020
2025-11-08 07:54:07	37.000	47.000	0.320	3.120
2025-11-08 07:52:07	41.000	52.000	0.240	3.000
2025-11-08 07:50:07	41.000	48.000	0.390	2.940
2025-11-08 07:48:07	35.000	53.000	0.360	2.990
2025-11-08 07:46:06	35.000	44.000	0.300	3.120
2025-11-08 07:44:06	36.000	45.000	0.380	2.930
2025-11-08 07:42:06	37.000	43.000	0.340	3.100
2025-11-08 07:40:06	39.000	52.000	0.250	2.940
2025-11-08 07:38:06	35.000	48.000	0.310	3.090
2025-11-08 07:36:07	41.000	54.000	0.270	2.970
2025-11-08 07:34:05	41.000	56.000	0.390	2.990
2025-11-08 07:32:05	39.000	42.000	0.310	3.120
2025-11-08 07:30:05	36.000	56.000	0.210	3.070
2025-11-08 07:28:05	38.000	45.000	0.370	2.990
2025-11-08 07:26:05	35.000	50.000	0.290	2.930
2025-11-08 07:24:06	41.000	51.000	0.380	3.060
2025-11-08 07:22:04	41.000	51.000	0.290	2.940
2025-11-08 07:20:04	40.000	45.000	0.290	3.060
2025-11-08 07:18:04	38.000	53.000	0.260	3.060
2025-11-08 07:16:04	37.000	44.000	0.380	3.050
2025-11-08 07:14:04	35.000	47.000	0.200	2.990

2025-11-06 13:05:08	39.000	42.000	0.310	3.120
2025-11-06 13:03:07	36.000	56.000	0.210	3.070
2025-11-06 13:01:06	38.000	45.000	0.370	2.990
2025-11-06 12:59:06	35.000	50.000	0.290	2.930
2025-11-06 12:57:06	41.000	51.000	0.380	3.060
2025-11-06 12:55:07	41.000	51.000	0.290	2.940
2025-11-06 12:53:06	40.000	45.000	0.290	3.060
2025-11-06 12:51:06	37.000	46.000	0.370	2.990
2025-11-06 12:49:06	35.000	42.000	0.280	3.030
2025-11-06 12:47:05	38.000	55.000	0.260	3.090
2025-11-06 12:45:06	36.000	50.000	0.300	2.990
2025-11-06 12:43:05	39.000	42.000	0.300	2.920
2025-11-06 12:41:05	39.000	47.000	0.220	2.920
2025-11-06 12:39:05	39.000	52.000	0.330	2.930
2025-11-06 12:37:05	41.000	44.000	0.300	3.040
2025-11-06 12:35:04	40.000	49.000	0.390	3.090
2025-11-06 12:33:04	36.000	51.000	0.370	2.980
2025-11-06 12:31:04	38.000	54.000	0.380	3.010
2025-11-06 12:28:59	39.000	44.000	0.380	2.980
2025-11-06 12:28:57	39.000	44.000	0.380	2.980
2025-11-06 12:28:52	39.000	44.000	0.380	2.980
2025-11-06 12:28:28	39.000	44.000	0.380	2.980
2025-11-06 12:28:27	39.000	44.000	0.380	2.980
2025-11-06 12:28:02	39.000	44.000	0.380	2.980
2025-11-06 12:27:58	39.000	44.000	0.380	2.980
2025-11-06 12:27:51	39.000	44.000	0.380	2.980
2025-11-06 12:27:43	39.000	44.000	0.380	2.980
2025-11-06 12:27:41	39.000	44.000	0.380	2.980
2025-11-06 12:27:36	39.000	44.000	0.380	2.980
2025-11-06 12:27:27	39.000	44.000	0.380	2.980
2025-11-06 12:27:19	39.000	44.000	0.380	2.980
2025-11-06 12:25:14	35.000	48.000	0.320	3.000
2025-11-06 12:25:13	35.000	48.000	0.320	3.000

2025-11-04 20:04:25	36.000	43.000	0.260	3.070
2025-11-04 20:02:24	40.000	50.000	0.250	2.970
2025-11-04 20:00:25	39.000	53.000	0.320	3.060
2025-11-04 19:58:24	37.000	42.000	0.320	3.120
2025-11-04 19:56:24	35.000	43.000	0.310	3.020
2025-11-04 19:54:23	39.000	49.000	0.300	3.070
2025-11-04 19:52:23	35.000	50.000	0.370	3.110
2025-11-04 19:50:23	38.000	54.000	0.370	2.920
2025-11-04 19:48:23	41.000	52.000	0.320	2.980
2025-11-04 19:46:23	38.000	48.000	0.280	3.000
2025-11-04 19:44:23	35.000	49.000	0.330	3.120
2025-11-04 19:42:22	41.000	48.000	0.390	2.940
2025-11-04 19:40:22	40.000	47.000	0.270	2.950
2025-11-04 19:38:22	35.000	44.000	0.300	3.120
2025-11-04 19:36:22	40.000	42.000	0.330	3.040
2025-11-04 19:34:22	37.000	43.000	0.340	3.100
2025-11-04 19:32:22	39.000	55.000	0.240	3.030
2025-11-04 19:30:21	35.000	48.000	0.310	3.090
2025-11-04 19:28:21	36.000	50.000	0.200	2.940
2025-11-04 19:26:21	38.000	53.000	0.240	3.050
2025-11-04 19:24:21	39.000	42.000	0.310	3.120
2025-11-04 19:22:21	38.000	50.000	0.350	2.990
2025-11-04 19:20:20	38.000	45.000	0.370	2.990
2025-11-04 19:18:20	35.000	45.000	0.270	3.070
2025-11-04 19:16:20	41.000	51.000	0.380	3.060
2025-11-04 19:14:20	39.000	47.000	0.350	3.120
2025-11-04 19:12:19	40.000	45.000	0.290	3.060
2025-11-04 19:10:19	35.000	55.000	0.320	2.930
2025-11-04 19:08:19	35.000	42.000	0.280	3.030
2025-11-04 19:06:19	37.000	56.000	0.250	3.050
2025-11-04 19:04:19	36.000	50.000	0.300	2.990
2025-11-04 19:02:20	38.000	50.000	0.300	3.030
2025-11-04 19:00:20	39.000	47.000	0.220	2.920

2025-11-03 22:21:36	38.000	44.000	0.250	3.090
2025-11-03 22:19:35	36.000	46.000	0.390	3.030
2025-11-03 22:17:35	36.000	51.000	0.340	3.100
2025-11-03 22:15:34	37.000	47.000	0.360	3.120
2025-11-03 22:13:34	40.000	47.000	0.330	3.000
2025-11-03 22:11:34	41.000	46.000	0.270	3.060
2025-11-03 22:09:34	35.000	47.000	0.240	3.070
2025-11-03 22:07:34	38.000	44.000	0.360	3.020
2025-11-03 22:05:33	37.000	47.000	0.320	3.120
2025-11-03 22:03:33	41.000	52.000	0.240	3.000
2025-11-03 22:01:33	39.000	45.000	0.380	3.120
2025-11-03 21:59:33	35.000	53.000	0.360	2.990
2025-11-03 21:57:32	40.000	56.000	0.310	3.070
2025-11-03 21:55:32	36.000	45.000	0.380	2.930
2025-11-03 21:53:32	36.000	56.000	0.280	2.950
2025-11-03 21:51:31	39.000	52.000	0.250	2.940
2025-11-03 21:49:31	35.000	44.000	0.370	2.950
2025-11-03 21:47:31	41.000	54.000	0.270	2.970
2025-11-03 21:45:31	38.000	53.000	0.240	3.050
2025-11-03 21:43:31	35.000	55.000	0.340	3.020
2025-11-03 21:41:30	38.000	50.000	0.350	2.990
2025-11-03 21:39:30	35.000	42.000	0.200	3.050
2025-11-03 21:37:30	35.000	45.000	0.270	3.070
2025-11-03 21:35:29	36.000	54.000	0.310	2.970
2025-11-03 21:33:29	39.000	47.000	0.350	3.120
2025-11-03 21:31:30	38.000	52.000	0.390	3.010
2025-11-03 21:29:29	37.000	46.000	0.370	2.990
2025-11-03 21:27:29	35.000	42.000	0.280	3.030
2025-11-03 21:25:29	38.000	55.000	0.260	3.090
2025-11-03 21:23:28	36.000	50.000	0.300	2.990
2025-11-03 21:21:28	39.000	42.000	0.300	2.920
2025-11-03 21:19:28	39.000	47.000	0.220	2.920
2025-11-03 21:17:28	39.000	52.000	0.330	2.930

2025-11-02 22:13:35	41.000	47.000	0.230	3.000
2025-11-02 22:11:35	41.000	46.000	0.270	3.060
2025-11-02 22:09:35	41.000	45.000	0.300	3.040
2025-11-02 22:07:33	38.000	44.000	0.360	3.020
2025-11-02 22:05:33	40.000	43.000	0.380	2.950
2025-11-02 22:03:33	41.000	52.000	0.240	3.000
2025-11-02 22:01:32	39.000	45.000	0.380	3.120
2025-11-02 21:59:32	40.000	54.000	0.240	3.100
2025-11-02 21:57:32	40.000	56.000	0.310	3.070
2025-11-02 21:55:32	39.000	48.000	0.240	3.040
2025-11-02 21:53:31	36.000	56.000	0.280	2.950
2025-11-02 21:51:31	41.000	49.000	0.390	3.010
2025-11-02 21:49:31	35.000	44.000	0.370	2.950
2025-11-02 21:47:31	39.000	49.000	0.200	3.020
2025-11-02 21:45:30	38.000	53.000	0.260	3.060
2025-11-02 21:43:30	35.000	55.000	0.340	3.020
2025-11-02 21:41:30	35.000	47.000	0.200	2.990
2025-11-02 21:39:29	35.000	42.000	0.200	3.050
2025-11-02 21:37:29	37.000	50.000	0.250	2.920
2025-11-02 21:35:29	36.000	54.000	0.310	2.970
2025-11-02 21:33:29	38.000	49.000	0.280	3.060
2025-11-02 21:31:31	38.000	52.000	0.390	3.010
2025-11-02 21:29:28	37.000	46.000	0.370	2.990
2025-11-02 21:27:28	35.000	51.000	0.200	3.080
2025-11-02 21:25:27	38.000	55.000	0.260	3.090
2025-11-02 21:23:30	39.000	47.000	0.320	3.080
2025-11-02 21:21:27	39.000	42.000	0.300	2.920
2025-11-02 21:19:27	39.000	45.000	0.210	3.070
2025-11-02 21:17:26	39.000	52.000	0.330	2.930
2025-11-02 21:15:26	36.000	46.000	0.390	3.100
2025-11-02 21:13:26	40.000	49.000	0.390	3.090
2025-11-02 21:11:26	40.000	50.000	0.310	3.010
2025-11-02 21:09:25	38.000	54.000	0.380	3.010

2025-11-02 00:15:08	39.000	42.000	0.300	2.920
2025-11-02 00:13:08	39.000	45.000	0.210	3.070
2025-11-02 00:11:08	39.000	52.000	0.330	2.930
2025-11-02 00:09:07	36.000	46.000	0.390	3.100
2025-11-02 00:07:07	40.000	49.000	0.390	3.090
2025-11-02 00:05:07	40.000	50.000	0.310	3.010
2025-11-02 00:03:07	38.000	54.000	0.380	3.010
2025-11-02 00:01:07	40.000	42.000	0.230	2.990
2025-11-01 23:59:07	39.000	44.000	0.380	2.980
2025-11-01 23:57:07	36.000	54.000	0.340	2.920
2025-11-01 23:55:06	36.000	42.000	0.310	2.940
2025-11-01 23:53:05	40.000	47.000	0.280	2.960
2025-11-01 23:51:05	37.000	43.000	0.370	3.060
2025-11-01 23:49:05	41.000	47.000	0.370	3.080
2025-11-01 23:47:04	36.000	55.000	0.210	2.950
2025-11-01 23:45:04	38.000	42.000	0.360	3.010
2025-11-01 23:43:03	36.000	52.000	0.330	3.060
2025-11-01 23:41:03	39.000	49.000	0.330	3.060
2025-11-01 23:39:04	36.000	43.000	0.200	2.960
2025-11-01 23:37:02	35.000	51.000	0.300	2.990
2025-11-01 23:35:03	41.000	44.000	0.310	3.000
2025-11-01 23:33:02	41.000	51.000	0.390	3.070
2025-11-01 23:31:02	35.000	46.000	0.270	3.110
2025-11-01 23:29:03	35.000	51.000	0.380	3.100
2025-11-01 23:27:04	38.000	46.000	0.350	3.010
2025-11-01 23:25:02	37.000	45.000	0.360	2.930
2025-11-01 23:23:01	41.000	46.000	0.250	3.100
2025-11-01 23:21:01	36.000	53.000	0.370	2.920
2025-11-01 23:19:01	35.000	47.000	0.230	3.070
2025-11-01 23:17:02	37.000	53.000	0.230	3.060
2025-11-01 23:15:01	38.000	49.000	0.230	2.920
2025-11-01 23:13:00	37.000	56.000	0.200	3.030
2025-11-01 23:11:00	35.000	52.000	0.330	3.090

OCEMS_ENE01992_01_Dec_25_AAQ_DATA

Date Time	SOx	Suspended Particulate	
	PPM	PPM	mg/Nm3
2025-11-30 23:47:02	8	13	23.00
2025-11-30 23:31:55	14	17	20.80
2025-11-30 23:16:49	12	10	23.50
2025-11-30 23:01:42	14	17	23.10
2025-11-30 22:46:35	15	20	15.70
2025-11-30 22:31:28	9	17	15.90
2025-11-30 22:16:22	14	17	24.30
2025-11-30 22:01:16	8	11	20.30
2025-11-30 21:46:08	7	19	15.30
2025-11-30 21:31:03	12	9	23.20
2025-11-30 21:15:55	10	20	15.70
2025-11-30 21:00:49	12	14	17.90
2025-11-30 20:45:42	11	10	22.80
2025-11-30 20:30:35	9	8	20.80
2025-11-30 20:15:29	13	15	22.70
2025-11-30 20:00:22	15	11	20.40
2025-11-30 19:45:15	14	8	16.40
2025-11-30 19:30:09	12	19	14.00
2025-11-30 19:15:06	8	11	27.60
2025-11-30 18:59:56	11	18	14.60
2025-11-30 18:44:49	12	17	23.10
2025-11-30 18:29:43	11	12	15.70
2025-11-30 18:14:36	10	12	23.10
2025-11-30 17:59:29	15	12	25.50
2025-11-30 17:44:23	13	18	15.00
2025-11-30 17:29:16	15	20	15.00
2025-11-30 17:14:09	6	20	16.60
2025-11-30 16:59:04	8	6	25.90

2025-11-29 15:13:56	5	15	18.70
2025-11-29 14:58:50	6	15	24.10
2025-11-29 14:43:43	15	8	25.10
2025-11-29 14:28:36	9	20	20.50
2025-11-29 14:13:30	11	7	20.60
2025-11-29 13:58:23	7	11	26.20
2025-11-29 13:43:17	14	15	17.90
2025-11-29 13:28:10	9	7	20.30
2025-11-29 13:13:03	9	7	21.20
2025-11-29 12:57:57	12	11	19.50
2025-11-29 12:42:50	5	21	19.40
2025-11-29 12:27:43	12	8	26.30
2025-11-29 11:57:30	15	9	23.50
2025-11-29 11:42:24	6	19	25.10
2025-11-29 11:27:17	7	11	27.80
2025-11-29 11:12:10	15	5	18.40
2025-11-29 10:57:04	8	11	15.20
2025-11-29 10:41:57	14	11	26.10
2025-11-29 10:26:50	12	11	16.90
2025-11-29 10:11:44	6	6	24.40
2025-11-29 09:56:37	12	9	22.50
2025-11-29 09:41:31	8	16	16.70
2025-11-29 09:26:24	15	15	19.80
2025-11-29 09:11:17	10	8	20.30
2025-11-29 08:56:11	8	19	21.10
2025-11-29 08:41:04	6	15	19.80
2025-11-29 08:25:58	5	6	25.80
2025-11-29 08:10:51	5	7	20.20
2025-11-29 07:55:44	15	21	26.60
2025-11-29 07:40:38	12	8	19.10
2025-11-29 07:25:31	5	7	20.50
2025-11-29 07:10:24	14	6	21.30
2025-11-29 06:55:18	6	7	22.80

2025-11-28 04:37:16	14	9	27.50
2025-11-28 04:22:09	14	5	27.50
2025-11-28 04:07:03	11	17	19.80
2025-11-28 03:51:56	9	18	22.70
2025-11-28 03:36:49	8	16	21.30
2025-11-28 03:21:43	11	10	24.20
2025-11-28 03:06:36	5	11	23.40
2025-11-28 02:51:30	11	18	14.00
2025-11-28 02:36:23	12	13	27.50
2025-11-27 23:41:29	10	8	22.70
2025-11-27 23:26:22	7	19	19.30
2025-11-27 23:11:15	9	8	15.80
2025-11-27 22:56:09	7	18	15.40
2025-11-27 22:41:03	13	5	21.50
2025-11-27 22:26:00	13	16	23.80
2025-11-27 22:10:49	14	16	23.60
2025-11-27 21:55:42	15	7	16.70
2025-11-27 21:40:36	6	16	17.60
2025-11-27 21:25:29	11	16	19.80
2025-11-27 21:10:23	12	14	24.90
2025-11-27 20:55:16	9	19	25.80
2025-11-27 20:40:09	6	13	24.10
2025-11-27 20:25:03	10	20	19.20
2025-11-27 20:09:56	14	13	18.70
2025-11-27 19:54:49	14	11	26.80
2025-11-27 19:39:44	8	16	15.50
2025-11-27 19:24:36	8	20	16.80
2025-11-27 19:09:30	11	16	19.20
2025-11-27 18:54:24	14	12	27.80
2025-11-27 18:39:17	10	14	26.20
2025-11-27 18:24:10	12	12	14.20
2025-11-27 18:09:03	8	11	20.20
2025-11-27 17:53:56	12	13	19.40

2025-11-27 09:20:12	13	16	25.20
2025-11-27 09:05:05	13	9	27.60
2025-11-27 08:49:58	7	11	20.80
2025-11-27 08:34:52	5	12	26.30
2025-11-27 08:19:45	12	9	22.80
2025-11-27 08:04:39	9	14	18.40
2025-11-27 07:49:32	8	11	27.50
2025-11-27 07:34:25	14	19	24.10
2025-11-27 07:19:19	10	20	14.10
2025-11-27 07:04:12	11	5	18.40
2025-11-27 06:49:05	9	11	16.00
2025-11-27 06:33:59	12	16	26.50
2025-11-27 06:18:52	7	17	25.90
2025-11-27 06:03:46	15	8	21.80
2025-11-27 05:48:39	13	5	25.80
2025-11-27 05:33:33	5	19	21.00
2025-11-27 05:18:26	14	10	19.10
2025-11-27 05:03:19	6	14	17.50
2025-11-27 04:48:13	13	16	19.30
2025-11-27 04:33:06	8	14	20.30
2025-11-27 04:18:00	14	16	15.40
2025-11-27 04:02:53	9	12	24.40
2025-11-27 03:47:46	13	6	14.70
2025-11-27 03:32:40	9	10	25.80
2025-11-27 03:17:33	12	13	15.50
2025-11-27 03:02:26	15	19	26.40
2025-11-27 02:47:29	10	18	26.40
2025-11-27 02:32:13	15	7	27.50
2025-11-27 02:02:00	12	5	17.20
2025-11-27 01:46:53	12	10	21.60
2025-11-27 01:31:47	13	13	14.90
2025-11-27 01:16:40	6	13	18.60
2025-11-27 01:01:45	12	17	17.90

2025-11-26 16:27:49	9	15	14.50
2025-11-26 16:12:42	9	15	20.90
2025-11-26 15:57:35	13	8	24.40
2025-11-26 15:42:29	7	11	19.80
2025-11-26 15:27:22	15	16	22.60
2025-11-26 15:12:16	6	18	18.10
2025-11-26 14:57:09	11	10	27.60
2025-11-26 14:42:02	13	17	23.10
2025-11-26 14:26:56	11	6	22.20
2025-11-26 14:11:49	12	18	22.70
2025-11-26 13:56:43	8	8	20.90
2025-11-26 13:41:37	13	12	23.40
2025-11-26 13:26:29	6	10	26.90
2025-11-26 13:11:23	5	10	15.80
2025-11-26 12:56:16	9	5	19.50
2025-11-26 12:41:10	9	6	19.20
2025-11-26 12:26:03	8	6	23.30
2025-11-26 12:10:56	15	14	23.70
2025-11-26 11:55:50	6	11	25.80
2025-11-26 11:40:43	9	6	18.80
2025-11-26 11:25:37	13	10	18.10
2025-11-26 11:10:30	12	9	25.50
2025-11-26 10:40:08	10	7	25.20
2025-11-26 10:25:01	5	21	21.30
2025-11-26 10:09:54	6	18	21.70
2025-11-26 09:54:48	13	6	19.00
2025-11-26 09:39:41	8	10	16.40
2025-11-26 09:24:35	11	12	25.60
2025-11-26 09:09:28	6	18	19.30
2025-11-26 08:54:22	10	7	16.00
2025-11-26 08:39:15	10	16	25.80
2025-11-26 08:24:08	5	10	15.80
2025-11-26 08:09:03	14	6	17.90

2025-11-25 15:16:39	8	10	15.70
2025-11-25 15:01:33	15	9	26.10
2025-11-25 14:46:25	15	5	15.10
2025-11-25 14:31:19	13	13	20.10
2025-11-25 14:16:12	7	7	25.20
2025-11-25 14:01:09	8	13	24.10
2025-11-25 13:45:59	7	6	26.50
2025-11-25 13:30:52	15	11	17.40
2025-11-25 13:15:46	6	18	14.80
2025-11-25 13:00:39	10	8	21.90
2025-11-25 12:45:32	13	17	19.60
2025-11-25 11:52:57	10	16	18.10
2025-11-25 11:37:51	15	16	27.80
2025-11-25 11:22:43	9	21	24.20
2025-11-25 11:07:37	6	12	20.20
2025-11-25 10:52:30	10	12	15.50
2025-11-25 10:37:24	10	13	27.60
2025-11-25 10:22:17	6	15	25.10
2025-11-25 10:07:10	7	19	17.70
2025-11-25 09:52:04	12	18	24.90
2025-11-25 09:36:57	10	14	19.00
2025-11-25 09:21:50	11	13	22.00
2025-11-25 09:06:44	9	18	19.00
2025-11-25 08:51:37	6	11	21.60
2025-11-25 08:36:31	7	19	21.90
2025-11-25 08:21:24	9	18	26.80
2025-11-25 08:06:17	14	13	22.50
2025-11-25 07:51:12	13	21	21.60
2025-11-25 07:36:04	10	14	15.20
2025-11-25 07:20:58	11	11	23.50
2025-11-25 07:05:51	14	11	19.30
2025-11-25 06:50:44	11	17	27.30
2025-11-25 06:35:38	7	18	15.20

2025-11-24 05:04:58	15	13	24.60
2025-11-24 04:49:51	15	21	18.20
2025-11-24 04:34:44	10	7	19.70
2025-11-24 04:19:38	9	10	19.90
2025-11-24 04:04:31	8	6	15.10
2025-11-24 03:49:25	9	14	20.00
2025-11-24 03:34:18	8	21	17.70
2025-11-24 03:19:12	10	19	26.00
2025-11-24 03:04:05	14	14	21.90
2025-11-24 02:48:58	15	12	18.70
2025-11-24 02:33:51	15	9	25.60
2025-11-24 02:18:45	6	21	25.60
2025-11-24 02:03:39	13	11	23.20
2025-11-24 01:48:32	7	18	22.20
2025-11-24 01:33:26	13	14	27.30
2025-11-24 01:18:18	8	20	27.20
2025-11-24 01:03:12	10	14	27.10
2025-11-24 00:48:06	8	7	19.60
2025-11-24 00:32:59	14	9	24.60
2025-11-24 00:17:52	12	19	15.40
2025-11-24 00:02:47	12	8	16.00
2025-11-23 23:47:39	6	20	22.50
2025-11-23 23:32:33	12	10	26.30
2025-11-23 23:17:26	13	8	24.30
2025-11-23 23:02:19	6	16	25.70
2025-11-23 22:47:13	15	17	22.20
2025-11-23 22:32:06	14	11	20.50
2025-11-23 22:16:59	12	12	20.90
2025-11-23 22:01:53	9	11	20.60
2025-11-23 21:46:46	13	16	22.70
2025-11-23 21:31:39	11	12	26.70
2025-11-23 21:16:33	12	13	26.70
2025-11-23 21:01:26	6	5	26.80

2025-11-22 03:13:08	11	13	20.50
2025-11-22 02:58:02	14	20	18.90
2025-11-22 02:42:55	10	14	17.90
2025-11-22 02:27:48	8	17	27.00
2025-11-22 02:12:42	7	17	27.80
2025-11-22 01:57:36	11	7	17.10
2025-11-22 01:42:29	10	10	25.90
2025-11-22 01:27:22	5	14	19.50
2025-11-22 01:12:16	11	16	17.20
2025-11-22 00:57:09	11	12	15.80
2025-11-22 00:42:03	13	6	14.90
2025-11-22 00:26:56	11	16	19.50
2025-11-22 00:11:49	10	5	20.30
2025-11-21 23:56:42	11	11	21.50
2025-11-21 23:41:36	11	18	27.60
2025-11-21 23:26:29	9	11	19.10
2025-11-21 23:11:25	11	16	27.70
2025-11-21 22:56:16	11	9	19.70
2025-11-21 22:41:14	14	15	21.20
2025-11-21 22:26:03	8	8	21.40
2025-11-21 22:10:56	13	14	21.70
2025-11-21 21:55:50	10	7	20.80
2025-11-21 21:40:43	10	21	14.60
2025-11-21 21:25:37	14	9	26.90
2025-11-21 21:10:30	9	17	23.90
2025-11-21 20:55:23	13	18	16.30
2025-11-21 20:40:17	15	13	18.60
2025-11-21 20:25:10	5	8	23.80
2025-11-21 20:10:03	7	21	17.10
2025-11-21 19:54:57	12	15	25.40
2025-11-21 19:39:50	8	9	17.40
2025-11-21 19:24:43	5	19	20.30
2025-11-21 19:09:37	9	6	16.20

2025-11-21 02:02:07	7	20	27.80
2025-11-21 01:47:00	8	20	27.70
2025-11-21 01:31:54	13	9	24.80
2025-11-21 01:16:47	15	17	20.80
2025-11-21 01:01:41	5	19	22.60
2025-11-21 00:46:34	7	21	15.30
2025-11-21 00:31:27	9	20	23.80
2025-11-21 00:16:21	6	19	26.50
2025-11-21 00:01:14	13	19	17.40
2025-11-20 23:46:08	9	16	20.60
2025-11-20 23:31:01	14	10	17.40
2025-11-20 23:15:54	5	13	14.90
2025-11-20 23:00:50	8	8	19.90
2025-11-20 22:45:41	8	14	16.60
2025-11-20 22:30:35	9	5	24.90
2025-11-20 22:15:28	7	21	14.80
2025-11-20 22:00:21	5	14	17.40
2025-11-20 21:45:15	14	10	15.90
2025-11-20 21:30:08	11	5	15.00
2025-11-20 21:15:03	7	9	15.70
2025-11-20 20:59:55	9	18	19.90
2025-11-20 20:44:48	11	13	21.20
2025-11-20 20:29:42	5	5	21.70
2025-11-20 20:14:35	9	18	20.20
2025-11-20 19:59:29	5	6	26.40
2025-11-20 19:44:22	7	21	16.70
2025-11-20 19:29:15	5	15	25.10
2025-11-20 19:14:09	10	7	23.90
2025-11-20 18:59:02	8	9	24.00
2025-11-20 18:43:55	14	14	24.20
2025-11-20 18:28:49	12	8	14.70
2025-11-20 18:13:42	13	7	16.50
2025-11-20 17:58:40	8	6	18.60

2025-11-19 16:34:53	9	5	14.00
2025-11-19 16:19:46	9	20	16.90
2025-11-19 16:04:39	14	13	15.10
2025-11-19 15:49:33	10	18	15.50
2025-11-19 15:34:28	6	6	14.10
2025-11-19 15:19:20	11	6	24.70
2025-11-19 15:04:14	5	13	20.30
2025-11-19 14:49:06	5	15	20.60
2025-11-19 14:34:00	13	16	25.70
2025-11-19 14:18:53	15	8	21.50
2025-11-19 14:03:47	9	6	18.70
2025-11-19 13:48:40	7	9	24.80
2025-11-19 13:33:33	8	10	16.80
2025-11-19 13:18:27	5	21	14.30
2025-11-19 13:03:22	7	17	19.90
2025-11-19 12:48:14	12	17	24.90
2025-11-19 12:33:07	10	10	18.80
2025-11-19 12:18:00	5	15	19.60
2025-11-19 12:02:54	8	16	19.80
2025-11-19 11:47:47	14	9	24.30
2025-11-19 11:32:40	11	6	27.50
2025-11-19 11:17:34	9	19	15.60
2025-11-19 11:02:27	5	10	23.50
2025-11-19 10:47:21	9	16	25.80
2025-11-19 10:32:14	15	18	26.60
2025-11-19 10:17:08	15	6	18.80
2025-11-19 10:02:01	8	9	20.70
2025-11-19 09:46:54	7	8	19.70
2025-11-19 09:31:48	11	17	21.90
2025-11-19 09:16:41	6	14	19.40
2025-11-19 09:01:34	11	19	14.50
2025-11-19 08:46:28	6	19	14.80
2025-11-19 08:31:22	5	12	15.40

2025-11-18 07:20:20	11	8	18.40
2025-11-18 07:05:13	5	6	20.50
2025-11-18 06:50:07	11	17	22.30
2025-11-18 06:35:00	5	8	17.50
2025-11-18 06:19:53	8	7	27.00
2025-11-18 06:04:47	5	6	27.90
2025-11-18 05:49:40	7	6	22.40
2025-11-18 05:34:34	10	16	23.90
2025-11-18 05:19:27	5	7	22.80
2025-11-18 05:04:20	8	17	24.90
2025-11-18 04:49:14	10	21	19.10
2025-11-18 04:34:07	13	8	23.60
2025-11-18 04:19:00	6	15	14.80
2025-11-18 04:03:54	5	8	15.70
2025-11-18 03:48:47	6	10	14.40
2025-11-18 03:33:41	12	20	18.50
2025-11-18 03:18:34	15	15	17.70
2025-11-18 03:03:28	5	14	22.90
2025-11-18 02:48:21	10	17	18.30
2025-11-18 02:33:15	9	8	25.30
2025-11-18 02:18:08	15	19	23.40
2025-11-18 02:03:01	8	21	16.40
2025-11-18 01:47:54	14	15	25.90
2025-11-18 01:32:48	12	16	14.60
2025-11-18 01:17:41	14	7	18.60
2025-11-18 01:02:35	12	7	14.80
2025-11-18 00:47:28	14	17	14.20
2025-11-18 00:32:21	9	9	16.00
2025-11-18 00:17:15	12	15	26.60
2025-11-18 00:02:08	10	18	17.20
2025-11-17 23:47:01	9	11	14.70
2025-11-17 23:31:55	8	19	27.50
2025-11-17 23:16:48	12	21	16.80

2025-11-16 13:28:49	14	10	22.90
2025-11-16 13:13:44	9	18	22.80
2025-11-16 12:58:36	15	15	19.40
2025-11-16 12:43:30	6	13	27.70
2025-11-16 12:28:24	14	15	27.10
2025-11-16 12:13:17	7	14	26.50
2025-11-16 11:58:10	12	20	25.70
2025-11-16 11:43:04	11	16	16.90
2025-11-16 11:28:01	6	6	15.80
2025-11-16 11:12:53	15	13	18.40
2025-11-16 10:57:43	7	11	24.20
2025-11-16 10:42:37	15	5	15.10
2025-11-16 10:27:30	5	16	23.40
2025-11-16 10:12:24	15	7	22.40
2025-11-16 09:57:17	15	12	19.10
2025-11-16 09:42:11	9	11	23.70
2025-11-16 09:27:04	10	15	18.90
2025-11-16 09:11:57	8	18	27.70
2025-11-16 08:56:50	15	5	21.90
2025-11-16 08:41:44	5	17	19.90
2025-11-16 08:26:37	6	10	25.50
2025-11-16 08:11:31	12	9	24.50
2025-11-16 07:56:24	8	8	21.00
2025-11-16 07:41:18	13	14	20.70
2025-11-16 07:26:11	5	8	23.60
2025-11-16 07:11:04	10	14	18.70
2025-11-16 06:55:57	10	19	25.50
2025-11-16 06:40:51	9	19	16.00
2025-11-16 06:25:45	14	20	22.50
2025-11-16 06:10:38	15	6	27.50
2025-11-16 05:55:31	10	13	22.50
2025-11-16 05:40:24	11	19	25.10
2025-11-16 05:25:18	12	20	21.70

2025-11-14 10:51:40	7	7	25.80
2025-11-14 10:36:34	12	18	25.70
2025-11-14 10:21:27	12	15	20.20
2025-11-14 10:00:12	8	11	21.90
2025-11-14 09:41:31	8	12	16.30
2025-11-14 09:26:24	5	18	26.10
2025-11-14 09:11:18	5	15	23.70
2025-11-14 08:56:11	11	7	17.00
2025-11-14 08:41:07	6	14	16.70
2025-11-14 08:25:58	8	11	26.80
2025-11-14 08:10:51	9	17	22.30
2025-11-14 07:55:44	11	10	19.80
2025-11-14 07:40:38	10	16	24.90
2025-11-14 07:25:31	6	16	27.40
2025-11-14 07:10:25	15	12	21.20
2025-11-14 06:55:18	5	10	22.30
2025-11-14 06:40:13	9	6	14.60
2025-11-14 06:25:05	6	18	21.90
2025-11-14 06:09:58	5	19	23.50
2025-11-14 05:54:52	10	15	17.50
2025-11-14 05:39:45	8	11	14.60
2025-11-14 05:24:39	10	21	22.50
2025-11-14 05:09:32	14	8	27.00
2025-11-14 04:54:31	9	5	24.90
2025-11-14 04:39:18	13	9	19.10
2025-11-14 04:24:12	11	13	26.20
2025-11-14 04:09:05	6	9	14.90
2025-11-14 03:53:59	6	17	24.60
2025-11-14 03:38:52	14	8	26.90
2025-11-14 03:23:45	6	10	20.40
2025-11-14 03:08:39	6	8	16.70
2025-11-14 02:53:32	9	17	22.50
2025-11-14 02:38:26	8	6	21.40

2025-11-13 00:57:43	14	16	25.00
2025-11-13 00:42:36	14	18	25.80
2025-11-13 00:27:30	10	9	20.70
2025-11-13 00:12:23	5	12	17.80
2025-11-12 23:57:16	9	16	26.40
2025-11-12 23:42:10	11	11	24.50
2025-11-12 23:27:03	13	17	23.20
2025-11-12 23:11:56	14	13	22.30
2025-11-12 22:56:50	12	6	14.70
2025-11-12 22:41:43	10	8	15.60
2025-11-12 22:26:37	10	5	24.20
2025-11-12 22:11:30	10	12	25.40
2025-11-12 21:56:26	6	20	15.10
2025-11-12 21:41:17	9	10	27.00
2025-11-12 21:26:10	12	20	16.70
2025-11-12 21:11:23	14	6	23.70
2025-11-12 20:56:02	11	19	26.00
2025-11-12 20:40:55	11	6	20.20
2025-11-12 20:25:49	15	16	17.10
2025-11-12 20:10:42	7	9	20.10
2025-11-12 19:55:37	12	20	24.40
2025-11-12 19:40:29	6	20	17.60
2025-11-12 19:25:23	8	6	15.40
2025-11-12 19:10:16	15	9	26.00
2025-11-12 18:55:09	9	12	24.00
2025-11-12 18:40:03	8	17	26.00
2025-11-12 18:24:57	7	11	26.50
2025-11-12 18:09:49	11	16	14.60
2025-11-12 17:54:43	6	19	20.90
2025-11-12 17:39:36	7	15	23.40
2025-11-12 17:24:29	14	8	23.40
2025-11-12 17:09:23	12	11	14.70
2025-11-12 16:54:16	12	14	23.10

2025-11-11 13:56:13	11	21	17.50
2025-11-11 13:41:06	13	7	15.00
2025-11-11 13:26:00	14	9	19.30
2025-11-11 13:10:53	15	18	18.90
2025-11-11 12:55:47	8	18	14.20
2025-11-11 12:25:33	9	18	18.50
2025-11-11 12:10:27	10	19	14.30
2025-11-11 11:55:20	13	19	24.80
2025-11-11 11:40:14	14	7	25.20
2025-11-11 11:25:07	9	15	19.00
2025-11-11 11:10:01	13	8	24.90
2025-11-11 10:54:54	6	7	27.90
2025-11-11 10:39:47	5	7	25.40
2025-11-11 10:24:41	7	16	16.10
2025-11-11 10:09:34	14	10	17.80
2025-11-11 09:54:27	15	15	26.90
2025-11-11 09:39:21	6	19	14.30
2025-11-11 09:24:14	12	16	15.70
2025-11-11 09:09:07	14	6	14.20
2025-11-11 08:54:01	5	9	15.60
2025-11-11 08:38:54	10	8	22.70
2025-11-11 08:23:47	14	16	24.80
2025-11-11 08:08:41	9	17	26.70
2025-11-11 07:53:35	8	18	24.30
2025-11-11 07:38:28	15	13	16.10
2025-11-11 07:23:22	6	19	14.30
2025-11-11 07:08:15	6	21	20.20
2025-11-11 06:53:08	9	12	15.50
2025-11-11 06:38:02	9	21	15.20
2025-11-11 06:22:55	13	15	17.30
2025-11-11 06:07:48	7	15	22.60
2025-11-11 05:52:41	5	7	14.20
2025-11-11 05:37:35	6	7	21.80

2025-11-10 12:45:12	11	15	25.50
2025-11-10 12:30:06	15	5	18.20
2025-11-10 12:14:59	13	12	27.90
2025-11-10 11:59:53	14	7	27.50
2025-11-10 11:44:45	11	6	23.90
2025-11-10 11:29:39	10	7	19.80
2025-11-10 11:14:32	9	7	19.60
2025-11-10 10:59:26	10	8	18.70
2025-11-10 10:44:19	14	8	21.90
2025-11-10 10:29:12	12	5	16.00
2025-11-10 10:14:06	13	8	23.50
2025-11-10 09:58:59	9	10	16.30
2025-11-10 09:43:52	11	20	14.80
2025-11-10 09:28:46	7	16	26.30
2025-11-10 09:13:39	9	5	26.50
2025-11-10 08:58:33	8	13	21.00
2025-11-10 08:43:26	14	7	15.50
2025-11-10 08:28:20	11	17	24.90
2025-11-10 08:13:13	13	10	20.00
2025-11-10 07:58:06	5	9	25.00
2025-11-10 07:42:59	5	10	17.70
2025-11-10 07:27:53	8	6	27.10
2025-11-10 07:12:46	9	18	18.30
2025-11-10 06:57:40	5	10	21.30
2025-11-10 06:42:36	7	18	23.00
2025-11-10 06:27:26	11	8	19.30
2025-11-10 06:12:20	5	8	21.90
2025-11-10 05:57:13	5	10	22.60
2025-11-10 05:42:07	13	17	19.70
2025-11-10 05:27:00	10	20	21.60
2025-11-10 05:11:53	8	21	19.30
2025-11-10 04:56:47	7	19	20.10
2025-11-10 04:41:40	13	9	18.30

2025-11-09 19:52:49	10	18	26.20
2025-11-09 19:37:42	9	16	26.90
2025-11-09 19:22:36	6	9	20.80
2025-11-09 19:07:29	15	10	25.50
2025-11-09 18:52:22	5	8	21.00
2025-11-09 18:37:16	5	11	27.80
2025-11-09 18:22:09	5	17	23.90
2025-11-09 18:07:05	8	12	21.00
2025-11-09 17:51:56	5	15	16.00
2025-11-09 17:36:49	8	18	17.40
2025-11-09 17:21:43	11	6	22.30
2025-11-09 17:06:39	10	5	21.30
2025-11-09 16:51:29	6	6	27.00
2025-11-09 16:36:23	5	9	26.60
2025-11-09 16:21:16	6	11	14.00
2025-11-09 16:06:09	12	18	26.20
2025-11-09 15:51:03	10	6	25.10
2025-11-09 15:35:56	15	17	24.30
2025-11-09 15:20:50	9	18	18.70
2025-11-09 15:05:43	9	9	23.70
2025-11-09 14:50:36	7	10	14.50
2025-11-09 14:35:30	5	19	23.90
2025-11-09 14:20:23	7	17	16.90
2025-11-09 14:05:18	12	21	24.90
2025-11-09 13:50:10	8	18	15.80
2025-11-09 13:35:04	12	16	26.10
2025-11-09 13:19:57	8	10	25.30
2025-11-09 13:04:51	7	7	26.40
2025-11-09 12:49:44	8	6	22.20
2025-11-09 12:34:37	14	17	20.90
2025-11-09 12:19:32	5	8	23.50
2025-11-09 12:04:24	10	7	25.20
2025-11-09 11:49:17	11	14	27.50

2025-11-08 09:37:49	5	6	22.10
2025-11-08 09:22:43	10	13	14.20
2025-11-08 09:07:36	13	7	23.00
2025-11-08 08:52:30	14	7	18.00
2025-11-08 08:20:26	5	11	22.00
2025-11-08 08:05:18	15	10	21.90
2025-11-08 07:50:09	15	20	21.10
2025-11-08 07:35:02	15	16	23.10
2025-11-08 07:19:56	13	12	14.70
2025-11-08 07:04:49	10	16	26.90
2025-11-08 06:49:42	7	12	18.90
2025-11-08 06:34:36	11	13	14.50
2025-11-08 06:19:29	14	9	26.40
2025-11-08 06:04:24	9	6	22.00
2025-11-08 05:49:16	14	11	15.80
2025-11-08 05:34:09	10	13	24.20
2025-11-08 05:19:03	12	12	25.10
2025-11-08 05:03:56	8	10	15.90
2025-11-08 04:48:50	10	5	17.10
2025-11-08 04:33:43	14	10	22.50
2025-11-08 04:18:36	8	12	27.10
2025-11-08 04:03:30	6	8	24.80
2025-11-08 03:48:23	10	14	16.90
2025-11-08 03:33:16	7	16	22.60
2025-11-08 03:18:10	15	18	23.10
2025-11-08 03:03:03	12	14	19.60
2025-11-08 02:47:57	12	12	25.60
2025-11-08 02:17:43	12	19	25.90
2025-11-08 02:02:37	10	8	26.10
2025-11-08 01:47:30	6	20	20.30
2025-11-08 01:32:24	8	20	26.20
2025-11-08 01:17:17	9	15	26.80
2025-11-08 01:02:10	7	12	18.00

2025-11-06 13:51:54	5	10	27.00
2025-11-06 13:36:46	6	5	16.10
2025-11-06 13:21:39	13	8	23.20
2025-11-06 13:06:33	14	6	25.60
2025-11-06 12:51:26	13	5	19.20
2025-11-06 12:36:20	15	11	23.20
2025-11-06 12:21:13	12	5	27.20
2025-11-06 12:06:06	5	6	22.40
2025-11-06 11:51:00	9	14	16.50
2025-11-06 11:35:53	12	9	14.00
2025-11-06 11:20:48	15	17	26.90
2025-11-06 10:50:33	6	6	19.10
2025-11-06 10:35:27	14	21	21.70
2025-11-06 10:20:20	14	8	21.00
2025-11-06 10:05:14	5	8	26.30
2025-11-06 09:50:07	13	12	17.60
2025-11-06 09:35:03	7	8	19.50
2025-11-06 09:19:57	12	15	19.70
2025-11-06 09:04:47	10	5	17.10
2025-11-06 08:49:41	11	8	23.20
2025-11-06 08:34:34	9	19	26.20
2025-11-06 08:19:27	15	18	16.20
2025-11-06 08:04:21	13	9	19.70
2025-11-06 07:49:18	5	21	16.60
2025-11-06 07:34:08	8	15	22.70
2025-11-06 07:19:01	5	16	20.30
2025-11-06 07:03:55	9	18	24.30
2025-11-06 06:48:48	9	10	19.30
2025-11-06 06:33:43	12	12	26.70
2025-11-06 06:03:31	6	7	18.00
2025-11-06 05:18:08	9	21	20.30
2025-11-06 05:03:01	12	9	19.60
2025-11-06 04:17:41	14	14	25.90

2025-11-05 06:49:04	9	18	25.30
2025-11-05 06:33:57	12	15	27.00
2025-11-05 06:18:51	10	21	21.90
2025-11-05 06:03:44	15	5	14.90
2025-11-05 05:48:39	9	5	25.60
2025-11-05 05:33:31	14	15	23.60
2025-11-05 04:33:00	8	8	27.60
2025-11-05 04:17:53	15	21	25.10
2025-11-05 04:02:47	12	14	20.20
2025-11-05 03:47:40	9	19	23.80
2025-11-05 02:11:13	9	18	24.10
2025-11-05 01:41:00	5	15	22.80
2025-11-05 01:25:53	15	9	23.70
2025-11-05 00:55:43	5	10	26.00
2025-11-05 00:40:33	13	18	23.40
2025-11-05 00:25:27	8	18	27.80
2025-11-04 22:25:20	12	11	14.00
2025-11-04 22:10:13	15	14	26.60
2025-11-04 21:55:07	9	7	15.50
2025-11-04 21:40:00	7	14	20.00
2025-11-04 21:24:54	12	7	24.40
2025-11-04 21:09:47	5	11	26.70
2025-11-04 20:54:42	11	21	21.00
2025-11-04 20:39:34	5	15	22.00
2025-11-04 20:24:27	14	21	25.20
2025-11-04 20:09:21	7	12	26.10
2025-11-04 19:54:15	6	8	23.60
2025-11-04 19:39:07	14	7	21.60
2025-11-04 19:24:01	7	16	25.80
2025-11-04 19:08:54	9	5	23.60
2025-11-04 18:53:48	14	5	20.00
2025-11-04 18:38:41	13	8	19.50
2025-11-04 18:23:35	8	20	18.20

2025-11-04 09:04:31	9	21	15.50
2025-11-04 08:49:23	14	18	22.00
2025-11-04 08:34:19	6	8	18.10
2025-11-04 08:19:10	5	20	20.60
2025-11-04 08:04:03	11	16	27.90
2025-11-04 06:48:30	8	9	21.90
2025-11-04 06:33:23	7	10	22.30
2025-11-04 06:18:17	13	8	15.60
2025-11-04 06:03:10	14	20	20.00
2025-11-04 05:48:04	10	14	25.30
2025-11-04 05:32:57	9	17	17.10
2025-11-04 05:17:50	11	21	15.90
2025-11-04 05:02:47	8	7	23.50
2025-11-04 04:47:37	11	5	25.20
2025-11-04 04:32:30	15	16	22.20
2025-11-04 04:17:24	13	5	23.60
2025-11-04 04:02:17	5	14	20.30
2025-11-04 02:46:44	8	8	22.50
2025-11-04 02:16:31	7	19	23.90
2025-11-04 02:01:24	8	14	17.30
2025-11-04 01:46:18	8	18	27.50
2025-11-04 01:00:58	7	9	22.70
2025-11-04 00:45:51	15	7	21.00
2025-11-04 00:30:45	5	12	17.70
2025-11-04 00:15:38	5	20	23.20
2025-11-04 00:00:31	6	11	22.30
2025-11-03 23:45:25	14	12	14.70
2025-11-03 23:30:18	11	12	20.40
2025-11-03 23:15:12	10	9	21.50
2025-11-03 23:00:05	15	19	22.50
2025-11-03 22:44:58	6	8	14.80
2025-11-03 22:29:52	6	7	20.80
2025-11-03 22:14:45	9	12	26.60

2025-11-03 12:10:07	15	11	24.10
2025-11-03 11:55:01	9	7	23.80
2025-11-03 11:39:57	13	11	16.70
2025-11-03 09:54:06	9	9	24.20
2025-11-03 09:39:02	14	16	18.10
2025-11-03 09:23:52	9	21	14.00
2025-11-03 09:08:46	7	17	23.60
2025-11-03 08:53:39	11	18	27.10
2025-11-03 08:38:33	13	17	16.10
2025-11-03 08:23:26	13	21	16.10
2025-11-03 08:08:19	7	13	18.60
2025-11-03 07:53:13	14	20	15.90
2025-11-03 07:22:59	7	14	23.20
2025-11-03 07:07:53	12	18	20.80
2025-11-03 06:52:46	9	14	24.20
2025-11-03 06:37:40	5	16	24.70
2025-11-03 06:22:33	9	18	16.20
2025-11-03 06:07:26	9	15	18.90
2025-11-03 05:36:34	6	5	24.50
2025-11-03 05:06:21	6	19	26.30
2025-11-03 04:51:14	5	21	18.70
2025-11-03 04:36:08	15	9	23.40
2025-11-03 04:21:01	5	20	20.70
2025-11-03 04:05:54	11	6	26.90
2025-11-03 03:50:48	12	11	20.30
2025-11-03 03:35:41	7	18	21.80
2025-11-03 03:20:35	10	15	23.90
2025-11-03 03:05:28	13	14	15.70
2025-11-03 02:50:21	9	10	19.20
2025-11-03 02:35:18	11	18	18.30
2025-11-03 02:20:08	11	10	18.20
2025-11-03 02:05:03	8	8	15.30
2025-11-03 01:49:56	15	19	15.70

2025-11-02 17:16:11	12	9	23.70
2025-11-02 17:01:04	7	20	25.60
2025-11-02 16:45:57	13	17	14.30
2025-11-02 16:30:50	15	20	20.50
2025-11-02 16:15:44	6	21	27.50
2025-11-02 16:00:37	10	12	25.30
2025-11-02 15:45:30	15	14	22.20
2025-11-02 15:30:24	15	16	14.30
2025-11-02 15:15:17	15	15	21.00
2025-11-02 15:00:12	9	15	26.70
2025-11-02 14:45:04	15	9	17.00
2025-11-02 14:29:57	14	15	22.50
2025-11-02 14:14:51	8	14	22.70
2025-11-02 13:59:44	10	10	20.70
2025-11-02 13:44:37	15	10	26.50
2025-11-02 13:29:31	15	21	14.00
2025-11-02 13:14:24	15	16	17.90
2025-11-02 12:59:18	13	21	18.60
2025-11-02 12:44:13	5	5	21.20
2025-11-02 12:29:05	5	12	26.50
2025-11-02 12:13:58	9	7	21.20
2025-11-02 11:58:51	12	13	20.60
2025-11-02 11:43:45	8	15	19.40
2025-11-02 11:28:38	6	19	17.50
2025-11-02 11:13:31	14	9	18.90
2025-11-02 10:58:25	5	21	16.10
2025-11-02 10:43:18	11	8	24.60
2025-11-02 10:28:11	7	14	19.70
2025-11-02 10:13:05	5	21	26.00
2025-11-02 09:57:58	10	13	16.60
2025-11-02 09:42:52	12	16	23.60
2025-11-02 09:27:45	6	16	14.20
2025-11-02 09:12:38	14	14	23.90

2025-11-01 06:51:16	14	5	27.80
2025-11-01 04:20:10	10	13	21.70
2025-11-01 04:05:06	7	5	20.80
2025-11-01 03:49:57	10	19	25.80
2025-11-01 03:34:50	9	12	24.00
2025-11-01 03:19:44	7	10	14.70
2025-11-01 03:04:37	11	14	14.20
2025-11-01 02:49:30	12	17	20.50
2025-11-01 02:34:23	11	8	18.40
2025-11-01 02:19:17	13	18	22.90
2025-11-01 02:04:10	7	20	17.20
2025-11-01 01:49:04	7	11	24.40
2025-11-01 01:33:58	14	11	19.70
2025-11-01 01:18:50	11	7	27.90
2025-11-01 01:03:44	8	7	22.10
2025-11-01 00:48:37	11	9	22.10
2025-11-01 00:33:30	11	18	14.60
2025-11-01 00:18:24	13	13	24.90
2025-11-01 00:03:17	11	20	18.50